

From: Whitney Pearson [mailto:whitney.pearson@sierraclub.org]
Sent: Monday, May 20, 2013 11:49 AM
To: Bradley, Cheryl
Subject: Comments re: proposed revision to Oklahoma's Regional Haze SIP
Attachments: SierraClubOnlineComments.zip

Ms. Bradley,

Please accept the attached compilation of comments from Sierra Club members and supporters collected online.

Whitney Pearson

--

Whitney Pearson
Associate Organizing Rep
Sierra Club, Beyond Coal
Oklahoma City, OK
(o) 405.286.2277 ext. 223
(c) 405.826.0241

www.beyondcoalok.org

Zach Ragbourn
1410 North Scott St.
Tulsa, OK 74008
(202) 495-3032

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Zach Ragbourn

Whitney Pearson
523 NW 35th St
Oklahoma City, OK 73118-7307
(405) 826-0241

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Whitney Pearson

Lisa Lewis
2004 W 11th Pl
Stillwater, OK 74074-5118

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Lisa Lewis

rick poland
425 Chautauqua Ave
Norman, OK 73069-5505
(405) 360-5001

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
rick poland

Lisa Lewis
2004 W 11th Pl
Stillwater, OK 74074-5118

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Lisa Lewis

Jon Sanford
3134 S Boston Pl
Tulsa, OK 74105-1658
(580) 554-4807

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Jon Sanford

Lisa Lewis
2004 W 11th Pl
Stillwater, OK 74074-5118

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Lisa Lewis

Ingrid Young
848 Fox Ridge Dr
Edmond, OK 73034-7346
(405) 359-9438

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Ingrid Young

Audra Alldredge
PO Box 487
Binger, OK 73009-0487
(405) 247-6020

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Audra Alldredge

Sara Haddock
PO Box 5902
Norman, OK 73070-5902
(405) 321-2572

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Sara Haddock

Autumn Hartman
1700 NW 179th Ter
Edmond, OK 73012-4152

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Autumn Hartman

Lana Henson
2009 N Gatewood Ave
Oklahoma City, OK 73106-3814
(405) 528-8358

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Lana Henson

Debe Judah
125 S Kalanchoe Ave
Broken Arrow, OK 74012-3126

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Debe Judah

William Hampton
PO Box 621
911 South Oak
Erick, OK 73645-0621
(580) 729-1194

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
William Hampton

Roger Harkness
5830 NW 32nd St
Oklahoma City, OK 73122-1020

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Roger Harkness

Howard Baer
1110 Mockingbird Ln
Norman, OK 73071-4838
(405) 701-1709

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Howard Baer

Matthew Sawyer
1415 E 42nd St
Tulsa, OK 74105-4051

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Matthew Sawyer

Glenna Mae Hendricks
1515 Young St
Alva, OK 73717-3457
(580) 327-5376

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Glenna Mae Hendricks

Patricia Murano
1540 N Bradley Ave
Oklahoma City, OK 73127-3149

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Patricia Murano

Hester Brown
123 NE 2nd St
G27
Oklahoma City, OK 73104-2247
(405) 601-5598

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Hester Brown

Karen Mott
3809 W Indianola St
Broken Arrow, OK 74012-4581

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Karen Mott

Gayle Harris
1927 NW 17th St
Oklahoma City, OK 73106-1803
(999) 528-2674

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Gayle Harris

Jeff Brown
1701 Westminster Pl
Oklahoma City, OK 73120-1001
(405) 840-1120

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Jeff Brown

Michael Koster
PO Box 52098
Tulsa, OK 74152-0098
(505) 670-0755

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Michael Koster

Darla Bennett
5202 Kershaw Cir
Muskogee, OK 74401-4640

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Darla Bennett

Lin Bacon
1500 S Frisco Ave
Tulsa, OK 74119-3800

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Lin Bacon

Donald Peacock
400 84th Ave SE
Norman, OK 73026-3748

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Donald Peacock

Donald Holden
18208 Scarlet Oak Ln
Edmond, OK 73012-4082
(405) 330-9022

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Donald Holden

Michael White
1232 W Churchill Way
Mustang, OK 73064-2151
(405) 376-3466

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Michael White

Debra Santelli
1415 S Chester St
Stillwater, OK 74074-5017

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Debra Santelli

Mary Morrow
806 W Blackwell Ave
Apt 402
Blackwell, OK 74631-2628

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Mary Morrow

Salli Josh
37149 County Street 2603
Anadarko, OK 73005-2350

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Salli Josh

Laura Bottoms
1415 N Elm St
Owasso, OK 74055-4927
(918) 274-9107

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Laura Bottoms

Kim Buckner
PO Box 2755
Ada, OK 74821-2755

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Kim Buckner

Dustin Tobey
2838 SW 59th St
Oklahoma City, OK 73119-6464

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Dustin Tobey

Matt Harney
621 NW 19th St
Oklahoma City, OK 73103-1828

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Matt Harney

Emily Booher
2709 NW 26th St
Oklahoma City, OK 73107-2233

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Emily Booher

Chalmer Labig
129 E 26th St
Tulsa, OK 74114-2415
(918) 261-3917

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Chalmer Labig

Thomas Blaney
3741 Windscape Ave
Oklahoma City, OK 73179-3840

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Thomas Blaney

Beau Brock
5018 E 68th St
Tulsa, OK 74136-3367
(918) 270-1999

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Beau Brock

Matthew Cremer
1307 S Evanston Ave
Tulsa, OK 74104-4819

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Matthew Cremer

David Braden
1143 NW 38th St
Oklahoma City, OK 73118-5423

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
David Braden

Bridget Barlow
1111 E Normal St
Tahlequah, OK 74464-3321
(918) 453-0698

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Bridget Barlow

Crockett Cox
201 N Mississippi Ave
Atoka, OK 74525-1843
(580) 889-8809

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Crockett Cox

Marla Saeger
PO Box 2083
Tahlequah, OK 74465-2083

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Marla Saeger

V Kay Jordan
965 Barkley Cir
Norman, OK 73071-4404
/

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
V Kay Jordan

Betty White
10517 Fawn Canyon Dr
Oklahoma City, OK 73162-6622
(405) 722-4495

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Betty White

Lee Baum
1516 Carlisle Ct
Oklahoma City, OK 73120-1318
(405) 241-6761

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Lee Baum

Art Vinson
699 Parkway Cir
Durant, OK 74701

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Art Vinson

Ricahrd Forehand
243 S Maple St
Nowata, OK 74048-3403

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Ricahrd Forehand

Christopher Burton
4323 E 5th Pl
Tulsa, OK 74112-2718
(918) 836-0608

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Christopher Burton

Jerry Henry
9215 E Cherry Ln
Claremore, OK 74019-0261
(918) 283-7971

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Jerry Henry

Fred Sapulpa
9168 E Newton Pl
Tulsa, OK 74115-5946
(918) 834-7472

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Fred Sapulpa

Rebecca Oberlin
412 E 12th St
Okmulgee, OK 74447-6082
(918) 756-8486

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Rebecca Oberlin

Jon Roberts
2525 NW 24th St
Oklahoma City, OK 73107-2203

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Jon Roberts

Terry Butler
2000 S Rankin St
Edmond, OK 73013-5136
(405) 204-9184

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Terry Butler

Robert Lobsinger
PO Box 326
Newkirk, OK 74647-0326

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Robert Lobsinger

Vicki Rose
11813 E Hefner Rd
Jones, OK 73049-8413
(405) 388-0372

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Vicki Rose

Larry Bailey
2729 NW 36th St
Oklahoma City, OK 73112-7475
(405) 833-1401

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Larry Bailey

Chadwick Cox
2241 Ravenwood Ln
Norman, OK 73071-7427
(405) 329-8860

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

Here is our chance to clean up our NE skies. I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Chadwick Cox

Colbi Lawson
1010 E 15th St
Ada, OK 74820-6919

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Colbi Lawson

Eric Huerter
6605 E 55th St
Tulsa, OK 74145-8503

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Eric Huerter

Amy Venable
1312 Glenwood St
Norman, OK 73069-6816
(405) 321-6346

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Amy Venable

Michael Battles
16620 Valley Crst
Edmond, OK 73012-6723
(405) 285-8110

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Michael Battles

Joel Olson
1305 S Broadway St
Moore, OK 73160-5328
(405) 793-2585

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Joel Olson

Jennifer Phenix
PO Box 1547
Ponca City, OK 74602-1547

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Jennifer Phenix

Chuck Lasbig
706 S Norfolk Ave
Tulsa, OK 74120-4418

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Chuck Lasbig

Ruby Ketron
PO Box 425
Buffalo, OK 73834-0425

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Ruby Ketron

Rob Robertson
2023 W Easton St
Tulsa, OK 74127-6527
(918) 852-7973

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Rob Robertson

Chuck Melick
2111 N Delaware Blvd
Tulsa, OK 74110-2206

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Chuck Melick

Sam Eller
215 S Margene Dr
Oklahoma City, OK 73130-4218

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Sam Eller

Nick Frayser
712 W South Park Blvd
Broken Arrow, OK 74011-2038

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Nick Frayser

David Goza
1207 Barkley Ave
Norman, OK 73071-4811
(405) 307-0809

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
David Goza

Kevin Valliquette
16013 Big Cypress Dr
Edmond, OK 73013-1709

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Kevin Valliquette

Raelee Harrell
2384 Heatherfield Ln
Norman, OK 73071-1440

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Raelee Harrell

Brad Gordon
1504 Potomac Dr
Ponca City, OK 74601-2325

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Brad Gordon

Martha Holland
3515 NW 17th St
Oklahoma City, OK 73107-2805

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Martha Holland

Terri Gibson
1203 Beverly Hills St
Norman, OK 73072-5908
(405) 579-1368

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

To protect the health of kids like mine who suffer from asthma, I ask you to please finalize the proposed State Implementation Plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Terri Gibson

Robert Trickey
9790 W 64th St S
Sapulpa, OK 74066-7295
(918) 764-9378

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Robert Trickey

Rosemary Crawford
102 E Thatcher St
Edmond, OK 73034-3662
(405) 844-3226

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Rosemary Crawford

Vanessa Cordes
14326 Old Monroe Hwy.
Poteau, OK 74947

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Vanessa Cordes

Liam Whitlock
2737 NW 68th St
Oklahoma City, OK 73116-4711

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Liam Whitlock

David Timmons
PO Box 500
Stroud, OK 74079-0500

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
David Timmons

Sally Hill
5729 E 30th St
Tulsa, OK 74114-6412
(918) 720-5734

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Sally Hill

Robert Burke
6425 S 27th West Ave
Tulsa, OK 74132-1384

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

We have the biggest producers of natural gas here in the state and we buying our power from someone else? How are we to support Pickens plan if we can't be a model ourselves? Other states will reject Nat gas power generation. Duke energy has switched and they claim benefits of reduced emissions, lower carbon footprint, lessened environmental impact, and huge profits. This is one change you can win win

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Robert Burke

John Havens
4617 Rhode Island Ave
Edmond, OK 73013-4751
(405) 341-7796

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
John Havens

Paul Moore
1611 S Detroit Ave
Tulsa, OK 74120-6213
(918) 584-6447

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Paul Moore

Jo Ann Howse
5255 S 69th East Ave
Tulsa, OK 74145-7621
(918) 749-3233

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Jo Ann Howse

Doug Stevenson
2137 W Admiral Rd
Stillwater, OK 74074-2504

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Doug Stevenson

Zoe Harty
2733 Warwick Dr
Oklahoma City, OK 73116-4210
(405) 286-0216

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Zoe Harty

Jeffrey Fernandez
222 N Oklahoma St
Tryon, OK 74875-7796

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Jeffrey Fernandez

Wilma Walters
7620 E 21st St
Tulsa, OK 74129-1215

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Wilma Walters

James Wear
310 W 11th St
Shawnee, OK 74801-6710

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
James Wear

Suzy Cline
708 W South Park Blvd
Broken Arrow, OK 74011-2037

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Suzy Cline

Marie Azzinaro
1200 SW 100th Ter
Oklahoma City, OK 73139-2995

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Marie Azzinaro

Ned Nielsen
4810 Grenada Ave
Sand Springs, OK 74063-2019

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Ned Nielsen

Mercedes Lackey
16525 E 470 Rd
Claremore, OK 74017-4445
(918) 342-4826

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

Under the proposed plan, in three years, the plant's yearly emissions of sulfur dioxide will be cut by 75% and other pollutants like mercury will be reduced drastically. The first coal-burning unit at the Northeastern plant will be phased out by April 16, 2016. Between 2021 and 2026, PSO will significantly reduce the amount of coal burned at the unit that is still operating until it is decommissioned no later than December 31, 2026.

This plan will cut dangerous sulfur dioxide and other air pollutants they have been putting in our air for decades. Implementing this plan will ensure cleaner air in Oklahoma and give a boost to clean energy!

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Mercedes Lackey

Marvin Cooke
2924 E 103rd St
Tulsa, OK 74137-5631

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Marvin Cooke

Leeann Samson
336 SE 4th St
Pryor, OK 74361-6216

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Leeann Samson

Patricia Kunkel
11308 Kingsgate Ln
Oklahoma City, OK 73170-4450
(405) 821-0053

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Patricia Kunkel

Terence Mcdowell
2816 W Lexington Way
Edmond, OK 73012-4224
(405) 348-4936

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Terence Mcdowell

Patrick Spurlock
W 31st St S
Mannford, OK 74044
(449) 188-6543

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Patrick Spurlock

Michael Connors
4127 E 43rd St
Tulsa, OK 74135-2849

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Michael Connors

Ina Albertson
3708 S Douglas Ave Apt 21
Oklahoma City, OK 73109-3246

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Ina Albertson

Neil Winslow
11300 N Penn Ave Apt 181
Oklahoma City, OK 73120-7775
(405) 936-9493

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Neil Winslow

Ray Brookshire
1317 S 123rd East Ave
Tulsa, OK 74128-5217

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Ray Brookshire

Kim Roberts
322 S Brewer St
Vinita, OK 74301-4156
(918) 964-0262

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Kim Roberts

Lori Spears
1051 N Quincy Ave
Tulsa, OK 74106-5432

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Lori Spears

Gail Garloch
15305 Rocky Mountain Dr
Edmond, OK 73013-8885

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Gail Garloch

Sharon Norris
4137 E 37th Pl
Tulsa, OK 74135-2325
(918) 749-8093

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Sharon Norris

Nicole Chau
3204 Ridgecrest Ct
Norman, OK 73072-7516

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Nicole Chau

Franklin Walters
1024 W Warner Ave
PO Box 1561
Guthrie, OK 73044-2730
(305) 898-8480

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Franklin Walters

Caleb White
20868 NE 10th St
Apt C
Harrah, OK 73045-9254
(210) 288-1699

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Caleb White

Nikki Smith
10525 N Sheridan Rd
Sperry, OK 74073

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Nikki Smith

Judy Adler
1530 NW 32nd St
Oklahoma City, OK 73118-3404
(541) 441-3064

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Judy Adler

Nikki Smith
10526 N Sheridan Rd
Sperry, OK 74073-4519

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Nikki Smith

John Hartman
5112 E 23rd St
Tulsa, OK 74114-3706
(918) 744-6452

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
John Hartman

Donna Davis
1929 Shelby Ct
Norman, OK 73071-2213
(405) 329-5495

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Donna Davis

Theresa Tiner
4722 W 85th St
Tulsa, OK 74132-3407
(918) 446-7835

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Theresa Tiner

Darlene Litton
PO Box 4024
Edmond, OK 73083-4024

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Darlene Litton

Amber Newcombe
124 Acker Dr
Ada, OK 74820-7201
(580) 235-8163

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Amber Newcombe

Judy Willis
1501 S Main St Apt B-203
Stillwater, OK 74074-7967

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Judy Willis

Adrienne Rogers
2510 S Quebec Ave
Tulsa, OK 74114-4828
(918) 742-9878

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Adrienne Rogers

Nancy Smart
320 Bumgarner Ave
Norman, OK 73026-3721
(405) 329-8904

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Nancy Smart

Ray & Alicia Gibson
2611 Trenton Rd
Norman, OK 73069-5049
(405) 447-6956

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Ray & Alicia Gibson

Jean McMahon
23181 Idlewild Ln
Fort Gibson, OK 74434-6029
(918) 478-4441

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan. Actually the plan is extremely weak if we really want to protect health..Why is Oklahoma not developing large scale solar???Suppose the extinction of the human species is close by..what would really be necessary?? Thanks

Sincerely,
Jean McMahon

Jean McMahon
23181 Idlewild Ln
Fort Gibson, OK 74434-6029
(918) 478-4441

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan. Actually the plan is extremely weak if we really want to protect health..Why is Oklahoma not developing large scale solar???Suppose the extinction of the human species is close by..what would really be necessary?? Thanks

Sincerely,
Jean McMahon

Diane Woodward Frost
7441 S Winston Ave
Tulsa, OK 74136-6119
(918) 494-9946

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Oklahoma air is so toxic and so difficult--that this move really cannot come soon enough!

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Diane Woodward Frost

Paul G. Scott
4641 Woodland Blvd Apt 128
Oklahoma City, OK 73105-6828

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Paul G. Scott

Gayle Ferioli
12501 W Glen Ct
Choctaw, OK 73020-6662
(405) 259-9060

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Gayle Ferioli

Cynthia Stevenson
2137 W Admiral Rd
Stillwater, OK 74074-2504
(405) 707-0320

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Cynthia Stevenson

Sally Blevins
2206 NW 17th St
Oklahoma City, OK 73107-4017
(405) 525-5907

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Sally Blevins

Len Lorette
611 S Lusk Ave
Elk City, OK 73644-6301

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Len Lorette

Barbara Vanhanken
2212 E 38th St
Tulsa, OK 74105-3406
(918) 749-9093

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Barbara Vanhanken

Susan Singh
1762 E 60th St
Tulsa, OK 74105-7013
(918) 749-7004

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

It is time for all Oklahomans to give priority to improving the health of our state residents which falls below that of most other states. Why should we accept this situation?

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Susan Singh

Nancy Zorn
7121 N Comanche Ave
Warr Acres, OK 73132-6629
(405) 488-8980

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule. We must move BEYOND COAL. This is a good step in that direction.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Nancy Zorn

Brandon Burnette
3025 Kande Ln
Durant, OK 74701-1667

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Brandon Burnette

Gerry Pinion
4 Windsor Cir
Stillwater, OK 74074-6708
(405) 743-2822

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Gerry Pinion

Barbara Grimm
3310 W Pittsburg Pl
Broken Arrow, OK 74012-9025
(918) 252-7033

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Barbara Grimm

Margaret Moran
215 NW 10th St # 104
Oklahoma City, OK 73103-3901
(317) 919-6251

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Margaret Moran

Joe Powers
1720 1/2 E 13th St
Tulsa, OK 74104-4418

May 7, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Joe Powers

Kenneth Slade
3508 S Marion Ave
Tulsa, OK 74135-4507
(918) 747-6981

May 8, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Kenneth Slade

duane wittman
14765 E 560 Rd
Inola, OK 74036-5093
(918) 543-6353

May 8, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
duane wittman

Wenda Carr
1030 Biloxi Dr
Norman, OK 73071-2305
(405) 364-3786

May 8, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Wenda Carr

Dave Ryhal
801 S 75th St
Broken Arrow, OK 74014-7316

May 8, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Dave Ryhal

Michael Dragoo
1547 S Newport Ave
Tulsa, OK 74120-6226

May 8, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Michael Dragoo

Tamara Smith
10401 N Midwest Blvd
Jones, OK 73049-5815

May 8, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Tamara Smith

Tamara Smith
10401 N Midwest Blvd
Jones, OK 73049-5815

May 8, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Tamara Smith

Sharleen Mehemed
PO Box 849
222 S 209th West Ave
Sand Springs, OK 74063-0849
(918) 550-1212

May 8, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Sharleen Mehemed

Darry Carlstone
614 W Downing St
Tahlequah, OK 74464-2716
(918) 207-0830

May 8, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Darry Carlstone

Andrea Smith
151 W Ithica Pl
Broken Arrow, OK 74012-7940

May 8, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Andrea Smith

Fran Stallings
1406 Macklyn Ln
Bartlesville, OK 74006-5419
(918) 333-7390

May 8, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Fran Stallings

Betty Leggiero
10600 Kunkel Ave
Norman, OK 73026-5920
(405) 558-1874

May 8, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Betty Leggiero

Larry Godwin
1312 SW 133rd St
Oklahoma City, OK 73170-5030

May 8, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan. This is one of the best plans in a long time. Thank you!!!!

Sincerely,
Larry Godwin

Lynn Crussel
1224 Iowa St
Norman, OK 73069-6820
(405) 701-0678

May 8, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Lynn Crussel

Connie Allen
1608 Leawood Dr
Edmond, OK 73034-6923

May 8, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Connie Allen

Roseanne Hartman
5112 E 23rd St
Tulsa, OK 74114-3706
(918) 744-6452

May 8, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Roseanne Hartman

Brenda Boren
8025 NW 31st St
Bethany, OK 73008-4337
(405) 787-8159

May 8, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Brenda Boren

Nathaniel Batchelder
2912 N Robinson Ave
Oklahoma City, OK 73103-4123
(405) 524-5577

May 8, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Nathaniel Batchelder

Nicholas Hartman
5112 E 23rd St
Tulsa, OK 74114-3706

May 8, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Nicholas Hartman

Nancy Haskell
2912 N Robinson Ave
Oklahoma City, OK 73103-4123
(213) 270-5400

May 8, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Nancy Haskell

Deanna Homer
2105 E Marcus Ave
Stillwater, OK 74075-8636
(405) 377-0918

May 8, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Deanna Homer

Mary Price
2501 E Leroy Rd
Cleveland, OK 74020-3685
(918) 243-5353

May 8, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Mary Price

Susan Parent
732 4th St
Alva, OK 73717-2818

May 8, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Susan Parent

Charisse Piros
1020 E 66th Pl Apt 233
Tulsa, OK 74136-3720
(918) 313-0457

May 8, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Charisse Piros

Gene Denney
18760 Highway 52
Morris, OK 74445-2753

May 8, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Gene Denney

Sarah Hall
1100 NE 19th St
Moore, OK 73160-6308
(405) 406-4544

May 8, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Sarah Hall

Rebecca Kossan
2707 S Cambridge Dr
Stillwater, OK 74074-2289
(405) 624-3606

May 8, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Rebecca Kossan

Mary Vogh
403381 W 2050 Dr
Bartlesville, OK 74006-0143
(918) 333-5725

May 9, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Mary Vogh

Jacqueline De Los Santos
917 Dover Dr
Edmond, OK 73034-6458
(405) 348-2635

May 9, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Jacqueline De Los Santos

Elizabeth Nelson
5314 E 36th St
Tulsa, OK 74135-5230
(918) 622-2367

May 9, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Elizabeth Nelson

Joanna Kouri
N/a
Okc, OK 73107

May 9, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Joanna Kouri

Sara Wilcox
644 N Lewis Ave
Tahlequah, OK 74464-2303

May 9, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Sara Wilcox

Michael Blair
15475 Northlake Dr
Claremore, OK 74017-1771

May 9, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Michael Blair

Joy Avery
1504 E 37th St
Tulsa, OK 74105-3224
(918) 712-5331

May 9, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Joy Avery

Carol Sullivan
3139 Venice Blvd
Oklahoma City, OK 73112-7465
(512) 477-9151

May 10, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Carol Sullivan

Diana Frost
1710 Stonewood Cir
Norman, OK 73026-0628
(405) 360-0595

May 10, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

Hello. I live in Norman, OK but my family home is in Tulsa, OK and I have driven by this plant many times. Of course, we all breathe the same air. How long must we all stay shackled to coal? The time is now to step into the new century.

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Diana Frost

Betty Mae Caywood
PO Box 265
Canton, OK 73724-0265
(580) 886-2685

May 10, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Betty Mae Caywood

Erin Tingler
246 N University Pl
Stillwater, OK 74075-3946

May 10, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Erin Tingler

Rodney & Terri Jones
3255 E 2120 Rd
Hugo, OK 74743-4510

May 10, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

We support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. We urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Rodney & Terri Jones

Shawn Owen
1318 S 73rd East Ave
Tulsa, OK 74112-6714
(918) 408-0294

May 10, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Shawn Owen

Anthony Lyons
121 Crepe Myrtle Ln
Durant, OK 74701-7262

May 10, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Anthony Lyons

Jenny Woodruff
504 NW 32nd St
Oklahoma City, OK 73118-7341
(405) 528-9011

May 11, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Jenny Woodruff

Judy Sing
PO Box 33
Macomb, OK 74852-0033

May 11, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Judy Sing

Ramon Chavez
2225 Oak Dr
Moore, OK 73170-7922

May 12, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Ramon Chavez

Leslie Bradford
2107 Briarcliff Dr
Oklahoma City, OK 73170-7428

May 12, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Leslie Bradford

Sue Blackmon
10700 S Dobbs Rd
Newalla, OK 74857-5901
(405) 386-3721

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Sue Blackmon

Kathy Nix
901 Regal Rd
Yukon, OK 73099-3438
(405) 350-8980

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Kathy Nix

Margaret Carroll
2127 E Redbud Rd
Washington, OK 73093-9244

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Margaret Carroll

Margaret Scott
45 Windsor Cir
Stillwater, OK 74074-6708

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Margaret Scott

Jeffrey Boyd
3713 E 40th St
Tulsa, OK 74135-2413
(918) 640-6296

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Jeffrey Boyd

Henry Roberson
1141 Pinehurst Dr
Norman, OK 73072-7604

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Henry Roberson

Terry Baxter
2534 E 19th St
Tulsa, OK 74104-5806
(918) 747-0249

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Terry Baxter

A. Daum
1704 NW 183rd Ter
Edmond, OK 73012-4170

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
A. Daum

Nelda Farrow
18200 Bethel Rd
Shawnee, OK 74801-9303
(405) 273-6731

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Nelda Farrow

Wallace Collins
4100 N Lincoln Blvd
Oklahoma City, OK 73105-5209

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule. I have GRAND kids with breathing problems, we need to do all we can to help them and others like them!

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Wallace Collins

Leslie Smith
PO Box 52823
Tulsa, OK 74152-0823
(918) 499-1550

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Leslie Smith

Mike Anderson
1213 SW 91st St
Oklahoma City, OK 73139-2603

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Mike Anderson

Steve Wold
PO Box 5743
Norman, OK 73070-5743
(505) 470-4613

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Steve Wold

Jariel Barnes
13191 E 29th St
Tulsa, OK 74134-2814

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Jariel Barnes

Gregory Dickson
819 NW 30th St
Oklahoma City, OK 73118-7233
(405) 279-9528

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Gregory Dickson

Joyce Gibb
6911 N Independence Ave
Oklahoma City, OK 73116-3324

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Joyce Gibb

Janet Whisler
2029 NW 45th St
Oklahoma City, OK 73118-1903
(405) 840-5322

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Janet Whisler

Hoda Katebi
16500 Thorton Ln
Edmond, OK 73012-6883
(405) 359-1935

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Hoda Katebi

Bethany Townsley
1312 S Quincy Ave
Tulsa, OK 74120-5219

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Bethany Townsley

Jay Ross
2628 E 20th St
Tulsa, OK 74104-5812
(918) 747-7248

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Jay Ross

Jason Eversole
512 S 102nd East Ave
Tulsa, OK 74128-2640

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Jason Eversole

Cindy Kerr
227 E 149th St S
Glenpool, OK 74033-4418
(918) 960-9900

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Cindy Kerr

Sophia Wilks
1508 NW 22nd St
Oklahoma City, OK 73106-4032

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Sophia Wilks

Skylar Mott
5625 S Rockford Ave
Tulsa, OK 74105-7924

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Skylar Mott

Robert Leveridge
345 Wewoka Dr # Rman
Norman, OK 73071-7209
(405) 329-3442

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Robert Leveridge

Gene Hunt
4536 Kiva Ct
Oklahoma City, OK 73135-3177
(405) 619-5763

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan. We need to move ahead as quickly as possible however provision needs to be made to assist those whose jobs will be eliminated.

Gene O. Hunt

Sincerely,
Gene Hunt

George Kesselring
611 S Country Club Rd
Muskogee, OK 74403-6222

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
George Kesselring

Rita DeCastro
523 W Walnut Ave
Enid, OK 73701-3090
(580) 233-4563

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

Dear Ms. Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Rita DeCastro
523 W. Walnut Ave.
Enid, OK 73701-3090
usa

Sincerely,
Rita DeCastro

Lawson Crout
1405 Elm Ave
Norman, OK 73072-6422

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Lawson Crout

Deborah Hanson
316 Ridgeview Dr
Claremore, OK 74017-4810

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

Done! We are done with coal as a means of supporting electricity in Oklahoma! I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Deborah Hanson

Sharon Mullins
6497 Valley View Rd
Edmond, OK 73034-8565
(405) 844-2849

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Sharon Mullins

Marinel Kelley
2605 NW 112th St
Oklahoma City, OK 73120-6404

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Marinel Kelley

Mercedes Lackey
16525 E 470 Rd
Claremore, OK 74017-4445
(918) 342-4826

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

Large industrial electric customers are opposed to the plan and demand emissions controls be added to the plant instead. That costly plan would lock us in to several more decades of coal. They are ignoring the 1,000 asthma attacks and 94 heart attacks each year linked to the pollution from Northeastern and the families and communities affected by it and the problems associated with the entire lifecycle of coal. But our voices can speak louder than the

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Mercedes Lackey

Carlee Singh
8920 N 139th East Ave
Owasso, OK 74055-2588

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

Thank you for promptly finalizing the proposed State Implementation plan for phasing out PSO's Northeastern coal plants.

Sincerely,
Carlee Singh

Ludmila Dmitriev-Odier
2714 N Running Bear St
Stillwater, OK 74075-6148

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Ludmila Dmitriev-Odier

Terry Ratliff
4101 W Main St Apt C
Norman, OK 73072-4543

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Terry Ratliff

Donna Sharp
2905 N 15th St
Broken Arrow, OK 74012-9478

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Donna Sharp

Robert Ahrendt
17515 W 1st St S
Sand Springs, OK 74063-5292
(918) 245-6536

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule. This plan will preserve the beautiful Grand Lake area from unneeded and hazardous air and water pollution.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency. Money is not the health problem - pollution is.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers. Good Neighbor Companies will aid in resolving these pollution problems thereby benefiting all Northeast area residents and visitors.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Robert Ahrendt

Angela Lowry
1717 S Pine Pl
Broken Arrow, OK 74012-5218
(918) 231-5326

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Angela Lowry

Kevan Judah
125 S Kalanchoe Ave
Broken Arrow, OK 74012-3126
(918) 254-9730

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Kevan Judah

Chris Walker
12511 W 68th St S
Sapulpa, OK 74066-7789

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Chris Walker

Janet Hornsby
3604 NW 70th St
Oklahoma City, OK 73116-2020
(405) 250-6238

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Janet Hornsby

Lydia Garvey
429 S 24th St
Clinton, OK 73601-3713
(580) 323-2327

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Lydia Garvey

Luke Pruitt
1827 Drakestone Ave
Nichols Hills, OK 73120-4715

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan. I happily urge you to take advantage of this opportunity to act compassionately. Peace be with you.

Sincerely,
Luke Pruitt

Michael Beilfuss
2402 N Glenwood Dr
Stillwater, OK 74075-2671

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I am writing to express my support of the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Michael Beilfuss

Charles Shah
1612 NW 44th St
Oklahoma City, OK 73118-5006
(405) 365-4836

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Charles Shah

Claude Simmons
3943 Rockwood Rd
Enid, OK 73703-1478
None

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Claude Simmons

Theresa Duval
2901 Alethea Dr
Moore, OK 73160-6083
(405) 237-3594

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Theresa Duval

Kristina Wyckoff
1129 Trout Ave
Norman, OK 73069-4717
(352) 213-3390

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Kristina Wyckoff

Sharon Irvine
6716 S Marion Ave
Tulsa, OK 74136-2809

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Sharon Irvine

Carol Preston
2310 Bridlewood Dr
Stillwater, OK 74074-2389

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Carol Preston

Charles Wesner
616 Tulsa St
Norman, OK 73071-4635
(405) 321-2204

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Charles Wesner

Mike Moore
2545 NW 24th St
Oklahoma City, OK 73107-2203

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Mike Moore

Paul Johnson
801 N Mingo Rd Trlr 252
Tulsa, OK 74116-5643
(918) 512-1012

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Paul Johnson

Lisa Brown
1116 E 35th Pl
Tulsa, OK 74105-2514
(918) 491-5931

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Lisa Brown

Jennifer Robertson
1500 Barkley St
Norman, OK 73071-4604

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Jennifer Robertson

Christina Akly
325 NE 3rd St Apt 202
Oklahoma City, OK 73104-4081

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Christina Akly

Jeri Liggett
1135 NW 46th St
Oklahoma City, OK 73118-5227
(405) 943-5113

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Jeri Liggett

Jessica Pynn
710 1/2 SW A Ave
Apt A
Lawton, OK 73501-3932
(580) 647-3387

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Jessica Pynn

Stacy Christiansen
1343 E 37th Pl
Tulsa, OK 74105-3209
(918) 289-0368

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Stacy Christiansen

John Macgregor
2503 Centennial Ct
Enid, OK 73703-5061

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
John Macgregor

Susan Berndt-Knighton
1616 Ridgemont Cir
Norman, OK 73071-7451

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Susan Berndt-Knighton

Larry Shepard
2800 E Dallas St
Broken Arrow, OK 74014-2315
(918) 258-3420

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Larry Shepard

Chris Applegate
622 N Jones Ave Apt 2
Norman, OK 73069-7763
(417) 294-0698

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Chris Applegate

Angela Moffatt
1221 Lamplighter Ln
Edmond, OK 73034-4971
(405) 341-8890

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Angela Moffatt

Sheri McGee
5210 S 32nd West Pl
Tulsa, OK 74107-9004
(918) 629-5056

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Sheri McGee

Paul Coyle
PO Box 451
Sperry, OK 74073-0451

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Paul Coyle

Robert Gentry
7012 N Anderson Rd
Spencer, OK 73084-7919
(405) 245-4879

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Thank you for taking this step to make Oklahoma a good home.

Sincerely,
Robert Gentry

Dianna Stevens
212 W Chestnut St
Stilwell, OK 74960-2630
(918) 696-7607

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Dianna Stevens

Cyndy Green
1025 N Windermere Dr
Moore, OK 73160-1423
(405) 735-6827

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Cyndy Green

Michael Henkell
1304 Nancy Dr
Enid, OK 73701-2795

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Michael Henkell

Paula Lane
33372 Calhoun Rd
Shady Point, OK 74956-2069

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Paula Lane

Catherine Sullivan
431 S Wilson Ln
Atoka, OK 74525-5151

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

Come on DEQ! I'm counting on you to do what is right for our state; right for our country; right for generations to come.

Please promptly finalize the proposed State Implementation Plan.

.

Sincerely,
Catherine Sullivan

Arikka Finn
8751 S Toledo Ave
Tulsa, OK 74137-2724

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Arikka Finn

Susan Clinkscates
1525 N 13th St
Duncan, OK 73533-3401
(580) 252-2050

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Susan Clinkscates

Angela Thompson
4917 S Briarwood Dr
Oklahoma City, OK 73135-1201
(405) 923-7212

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Angela Thompson

Karen Maddox
5809 Montford Way
Choctaw, OK 73020-2010

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Karen Maddox

Diana Cravatt
PO Box 7
Leon, OK 73441-0007

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Diana Cravatt

Barbara Ellison
33850 R. Summerfield Rd.
Wister, OK 74966

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Barbara Ellison

Lorri Redmon
7116 NW 119th St
Oklahoma City, OK 73162-1658

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Lorri Redmon

Kathleen Harper
701 Highland Pkwy
Norman, OK 73069-7525
(405) 501-2238

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Kathleen Harper

Pat Hoerth
6201 County Road 90
Red Rock, OK 74651-0318
(580) 917-6011

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Pat Hoerth

Kem Maher
4035 E 27th St
Tulsa, OK 74114-5942

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Kem Maher

David Thompson
628 S 15th St
Chickasha, OK 73018-2938
(405) 222-0380

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
David Thompson

Fran Alavi
15812 Claremont Blvd
Edmond, OK 73013-1005

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Fran Alavi

Jacquelyn Dill
6720 NW 119th St
Oklahoma City, OK 73162-1777
(405) 226-3709

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Jacquelyn Dill

Nancy Sander
1801 Woodhill Rd
Edmond, OK 73025-2907
(405) 285-6950

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Nancy Sander

Kathy Fox
1201 S Rockford Ave
Tulsa, OK 74120-5250

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Kathy Fox

Norman Hammon
320 N Flood Ave
Norman, OK 73069-6911
(405) 360-6650

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Norman Hammon

Vanessa Lester
4103 SE 11th St
Del City, OK 73115-2215
(405) 243-3028

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Vanessa Lester

Anduril White
326 N Oklahoma Ave
Mangum, OK 73554-3010

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Anduril White

Karl Rysted
609 N Bouziden Pl
Moore, OK 73160-6841

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Karl Rysted

Sonya Wallace
1504 W Latimer Ct
Tulsa, OK 74127-5316

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Sonya Wallace

Dr JA Stewart
5110 E 86th Pl
Tulsa, OK 74137-2908

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Dr JA Stewart

Bill Torres
17321 Avila Ln
Oklahoma City, OK 73170-6640

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Bill Torres

Diane Helt
3744 E 58th St
Tulsa, OK 74135-4153
(918) 798-4147

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Diane Helt

Susan Caldwell
1210 Woodland Dr
Norman, OK 73072-6313
(405) 364-3795

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Susan Caldwell

Lonney Corder-Agnew
4417 N Indiana Ave
Oklahoma City, OK 73118-2221
(405) 605-4343

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Lonney Corder-Agnew

Marie Azzinaro
1200 SW 100th Ter
Oklahoma City, OK 73139-2995
(405) 691-2816

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Marie Azzinaro

James Oglesby
1609 NW 46th St
Oklahoma City, OK 73118-2202

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
James Oglesby

Greg Tomblin
8438 Highway 82
Hulbert, OK 74441-3647

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Greg Tomblin

Suzanne Reinman
5212 W McMurtry Rd
Stillwater, OK 74075-0970
(405) 624-1679

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Suzanne Reinman

Sondra & Samir Shehab
2904 Summit Hill Rd
Norman, OK 73071-4110
(405) 329-1489

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Sondra & Samir Shehab

Laura Figueroa
1400 Asp Ave
Norman, OK 73072-7133

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Laura Figueroa

Kelly L.
8903 N 104th East Ave
Owasso, OK 74055-6805

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Kelly L.

Darla Shelden
2735 NW 17th St
Oklahoma City, OK 73107-3928

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Darla Shelden

James Marlin
1517 N 22nd St
Broken Arrow, OK 74012-2320

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
James Marlin

Jane Ard
611 NW Waterford Dr
Lawton, OK 73505-5247
(580) 355-4444

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Jane Ard

Martha Miller-Hampton
9815 S 4206 Rd Unit B
Chelsea, OK 74016-3464

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Martha Miller-Hampton

Charles & Kathryn Woltz
2909 Tropicana Ave
Norman, OK 73071-1706
(405) 573-7415

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Charles & Kathryn Woltz

Dortha Killian
904 Tarkington Dr
Norman, OK 73026-0868
(405) 321-6832

May 15, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Dortha Killian

Dennis Bowles
430 S 54th West Ave
Tulsa, OK 74127-7440

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Dennis Bowles

Philip Caracena
7400 Arbor Valley Dr
Edmond, OK 73025-1853

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

My damaged lungs are a victim of polluted air so I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Philip Caracena

Hilary Stambaugh
1531 S Columbia Pl
Tulsa, OK 74104-4726

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Hilary Stambaugh

Jasen Stevens
1229 N F St
Muskogee, OK 74403-2128

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Jasen Stevens

Mary Lea Wallace
122 Pine Tree Ln
Norman, OK 73072-5011
(405) 329-2972

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Mary Lea Wallace

Weldon Williams
7625 N 140th East Ave
Owasso, OK 74055-7102
(918) 272-1421

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Weldon Williams

Lisa Nelson
702 Summit Dr
Ada, OK 74820-8311

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Lisa Nelson

Patricia Mccauley
642 Meadow Land Dr
Moore, OK 73160-0836
(405) 360-5507

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Patricia Mccauley

Sophia Morren
1406 Brookside Dr
Norman, OK 73072-6347

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Sophia Morren

Valerie Fuller
769 W 13th St
Tulsa, OK 74127-9162

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Valerie Fuller

Josh Langille-Hoppe
PO Box 722
Tecumseh, OK 74873-0722

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Josh Langille-Hoppe

Thomas Blaney
3741 Windscape Ave
Oklahoma City, OK 73179-3840

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Thomas Blaney

Bobie Johnson
4536 N Johnstown Ave
Tulsa, OK 74106-1310

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Bobie Johnson

Dohn Martin
PO Box 1163
Jenks, OK 74037-1163

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Dohn Martin

Janice Hamilton
380 N Banner Rd
El Reno, OK 73036-9173

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Janice Hamilton

Genni Davis
450 W 7th St Apt 1407
Tulsa, OK 74119-1048

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Genni Davis

Karla Hinton
13918 S 300th East Ave
Coweta, OK 74429-7825

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

My husband has heart disease and I now have asthma, so this issue is VERY important to me!

Sincerely,
Karla Hinton

Douglas Devers
320 N Whitaker St
Pryor, OK 74361-2024
(918) 530-7379

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Douglas Devers

Kelley Smith
4616 Eastman Dr
Oklahoma City, OK 73122-7614
(405) 720-7310

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Kelley Smith

Stephanie Wegner
PO Box 133
Olustee, OK 73560-0133

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Stephanie Wegner

Ben Zoeller
7601 Clayton Dr
Oklahoma City, OK 73132-5638
(405) 621-5878

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Ben Zoeller

David Aandrews
8944 N 138th East Ave
Owasso, OK 74055-2546
(918) 274-8015

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
David Aandrews

Maria Welding
3304 S New Haven Ave
Tulsa, OK 74135-4509
(908) 749-1020

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Maria Welding

Dawn Mahiya
222 NW 25th St
Oklahoma City, OK 73103-3002

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Dawn Mahiya

Diane Perkins
11912 Ashford Dr
Yukon, OK 73099-8016
(405) 229-6147

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Diane Perkins

Dianne Wigley
6401 Applewood Dr
Edmond, OK 73034-9409
(405) 330-3578

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Dianne Wigley

Gentry Golden
PO Box 720540
Norman, OK 73070-4396

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Gentry Golden

Robert Lifset
5001 Deerhurst Dr
Norman, OK 73072-3880
(405) 366-2111

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Robert Lifset

Frank Anderson
1424 NE 25th St
Moore, OK 73160-8953
(405) 703-1051

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Frank Anderson

Dionne Stafford
2104 Whiteoak Cir
Norman, OK 73071-1033

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Dionne Stafford

Judy Ann Davis
3243 NW 50th St Apt 243
Oklahoma City, OK 73112-5370
(405) 943-0000

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Judy Ann Davis

Marianne Reichlin
5801 N Stonewall Dr
Oklahoma City, OK 73111-6737
(405) 424-7311

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Marianne Reichlin

Karen Fleming
6908 W 1st St
Tulsa, OK 74127-6605

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Karen Fleming

Marianne reichlin
5801 N Stonewall Dr
Oklahoma City, OK 73111-6737

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.
I approve this plan

Sincerely,
Marianne reichlin

Carla Wollard
2300 W Galveston St
Broken Arrow, OK 74012-3523
(918) 258-5781

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Carla Wollard

Patricia Taylor
3223 E 31st St Ste 211
Tulsa, OK 74105-2448
(918) 749-9131

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Patricia Taylor

John Valiulis
2660 S Utica Ave
Tulsa, OK 74114-2806
(918) 747-4008

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
John Valiulis

Sherilyn Davis
4514 E 8th St
Tulsa, OK 74112-4206
(615) 871-9273

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Sherilyn Davis

Sherilyn Davis
4514 E 8th St
Tulsa, OK 74112-4206
(615) 871-9273

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Sherilyn Davis

Katherine Hamilton M.Ed
1739 E 8th St
Tulsa, OK 74104-3207

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Katherine Hamilton M.Ed

Linda Gibson
5921 N Sterling Dr
Oklahoma City, OK 73122-7537
(405) 722-5224

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Linda Gibson

Brenda Evans
5107 E 27th Pl
Tulsa, OK 74114-4911
(918) 814-0310

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Brenda Evans

Joe Sibiski
629 Barbour Ave
Norman, OK 73069-7416
(405) 364-5759

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Joe Sibiski

Carol Humphrey
4010 N Aydelotte Ave
Shawnee, OK 74804-1622
(405) 275-8463

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Carol Humphrey

Gracen Johnsen
2300 NW 52nd St
Oklahoma City, OK 73112-8076

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Gracen Johnsen

Jennifer Pitts
409 S 39th West Ave
Tulsa, OK 74127-8211

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Jennifer Pitts

Mary S. Brown
6500 NW 113th St
Oklahoma City, OK 73162-2903

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Mary S. Brown

Cynthia Burnett
2115 Bentham Pl
Yukon, OK 73099-7901

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Cynthia Burnett

Jay Gann
2300 NW 52nd St
Oklahoma City, OK 73112-8076

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan, because we can make a cleaner future for Oklahoma.

Sincerely,
Jay Gann

Kathy Scurlock
3333 NW 20th St
Oklahoma City, OK 73107-3005
(405) 942-6343

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Kathy Scurlock

Esther Hutchens
2110 S August St
Stillwater, OK 74074-2185
(405) 880-7922

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Esther Hutchens

Marjorie Hass
820 Lehigh Ave
Hartshorne, OK 74547-3630
(918) 297-2732

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Marjorie Hass

Lonney Corder-Agnew
4417 N Indiana Ave
Oklahoma City, OK 73118-2221
(405) 605-4343

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Lonney Corder-Agnew

Diane Hardersem
1529 Canterbury St
Norman, OK 73069-7496
(405) 364-3720

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Diane Hardersem

Ann Martin
2104 Goodrich Dr
Moore, OK 73170-7402
(405) 799-6888

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Ann Martin

Jessica Pynn
710 1/2 SW A Ave
Apt A
Lawton, OK 73501-3932
(580) 647-3387

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Jessica Pynn

Jessica Pynn
710 1/2 SW A Ave
Apt A
Lawton, OK 73501-3932
(580) 647-3387

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Jessica Pynn

Steve Trammell
10137 Bryan Rd
Meeker, OK 74855-9379
(405) 395-2219

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Steve Trammell

Jerry Gowman
6805 N. Stawley
Oklahoma City, OK 73132
(405) 721-3533

May 16, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Jerry Gowman

Linda Bracken
5921 Martin Ln
Bartlesville, OK 74006-8017
(918) 333-0933

May 17, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Linda Bracken

Eddy Collins
4021 Milford Pl
Norman, OK 73072-1772

May 17, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Eddy Collins

Montie Jones
PO Box 112
Lawton, OK 73502-0112
(580) 355-1549

May 17, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Montie Jones

Hannah Harder
1319 Sunset Dr
Norman, OK 73069-5352

May 17, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

As an environmental science professional, I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Hannah Harder

Randy Smith
1820 SW 18th St
Oklahoma City, OK 73108-6840
(405) 631-6840

May 17, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Randy Smith

Gwen Ingram
208 E Broadway St
Drumright, OK 74030-3804
(918) 606-1556

May 17, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Gwen Ingram

Dr. Max Edgar
4617 N Miller Ave
Oklahoma City, OK 73112-8238

May 17, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Dr. Max Edgar

Michael Oblander
3706 Reid Pryor Rd
Norman, OK 73072-5070
(405) 535-7649

May 17, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Michael Oblander

Paula Wolf
2821 Weymouth Way
Norman, OK 73071-7273

May 17, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Paula Wolf

Susan Murray
15840 High Ave
Purcell, OK 73080-4470

May 17, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Susan Murray

Kelsi Starling
1800 Beaumont Dr Apt 222
Norman, OK 73071-2282
(918) 470-5911

May 17, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Kelsi Starling

Joel Olson
1305 S Broadway St
Moore, OK 73160-5328

May 17, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Joel Olson

Linda Burns
7541 NW 116th St
Oklahoma City, OK 73162-1336
(405) 721-7510

May 18, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Linda Burns

Dianne Miller-Boyle
514 NW 43rd St
Oklahoma City, OK 73118-7008
(405) 528-8988

May 18, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Dianne Miller-Boyle

Timothy Bradford
10401 N Midwest Blvd
Jones, OK 73049-5815

May 19, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Timothy Bradford

Deborah Smith
3044 NW 30th St
Oklahoma City, OK 73112-6908
(405) 942-6953

May 19, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

PLEASE READ AND TAKE NOTE!!

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Deborah Smith

Barry Hays
8720 E 28th Pl
Tulsa, OK 74129-6613

May 19, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Barry Hays

Preston Drake
13930 Edmond Lake Rd
Jones, OK 73049-3434

May 19, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

And please, recognize the potential advantages of renewable energy to our state - if we become a leading force in developing renewable energy, we will see great economic benefit to our state. Much greater than if we resist the change and follow the rest of the country 100 years from now. There's no time like the present.

Sincerely,
Preston Drake

Vicki Muir
1901 Bella Vista Dr
Edmond, OK 73013-6032
(405) 359-4878

May 20, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Vicki Muir

Livvy Jones
PO Box 9
Pauls Valley, OK 73075-0009
(405) 207-7639

May 20, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Livvy Jones

Mona Chamhidray
2930 N Shartel Ave
Oklahoma City, OK 73103-1034

May 20, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Mona Chamhidray

Sarah Lilly
11901 E Draper Ave
Choctaw, OK 73020-8257
(405) 769-1117

May 20, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Sarah Lilly

Marilyn Masterson
2818 E 90th St
Unit 1105
Tulsa, OK 74137-3392
(918) 299-3142

May 20, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

I often wonder HOW THIS MIGHT IMPROVE MY HEALTH. AND IF AUTO IMMUNE DISEASES MIGHT BE CAUSED BY POLLUTION..

Please make this happen.. it could only improve things.

Sincerely,

Mari Masterson
2818 E 90 St Unit 1105
Tulsa, Ok 74137

Sincerely,
Marilyn Masterson

Joel Olson
1305 S Broadway St
Moore, OK 73160-5328

May 20, 2013

Cheryl Bradley
OK

Subject: Re: revised SIP

Dear Cheryl Bradley,

I support the revised implementation plan that helps the Public Service Company of Oklahoma (PSO) comply with important health safeguards and the regional haze rule.

The plan paves the way for resolving long-standing public health concerns about pollution from PSO's Northeastern Plant. I urge the approval and submittal of this revision to the Environmental Protection Agency.

Phasing out the two coal units will ultimately eliminate over 7 million tons of carbon dioxide, over 23,000 tons of sulfur dioxide, 13,000 tons of nitrogen oxide and over 200 pounds of mercury associated with the plant. This will protect the health of Oklahoma families and communities. The timeline for this plan is reasonable and achievable and allows for PSO to continue providing reliable power and meet the needs of its customers.

Please promptly finalize the proposed State Implementation Plan.

Sincerely,
Joel Olson