

**TITLE 252. DEPARTMENT OF ENVIRONMENTAL QUALITY
CHAPTER 650. UNDERGROUND INJECTION CONTROL [REVOKED]**

RULEMAKING ACTION:

Notice of proposed PERMANENT rulemaking

PROPOSED RULES:

252:650 [REVOKED]

SUMMARY:

The proposed rulemaking is to revoke the Chapter 650 Underground Injection Control rules, which pertain to the construction and operation of any injection well facility for the disposal of liquid non-hazardous waste. Chapter 650 was previously revoked; however, due to a technical error, the proposed rulemaking was never recorded with the Office of Administrative Rules. This proposed rulemaking is to correct the error.

AUTHORITY:

Environmental Quality Board; Oklahoma Environmental Quality Code 27A O.S. §2-1-101; Water Quality Management Advisory Council 27A O.S. §2-2-201.

COMMENT PERIOD:

Written comments may be submitted to the contact person from December 1, 2014 through January 12, 2015. Oral comments may be made at the Water Quality Management Advisory Council meeting on January 13, 2015, and at the Environmental Quality Board meeting on February 20, 2015.

PUBLIC HEARING:

Before the Water Quality Management Advisory Council on January 13, 2015, at 1:00 p.m. at the Department of Environmental Quality Multipurpose room, 707 N. Robinson, Oklahoma City, Oklahoma 73102.

Before the Environmental Quality Board on February 20, 2015 at 9:30 a.m. at the Department of Environmental Quality Multipurpose room, 707 N. Robinson, Oklahoma City, Oklahoma 73102.

REQUESTS FOR COMMENTS FROM BUSINESS ENTITIES:

The DEQ requests that business entities affected by these rules provide the DEQ, within the comment period, in dollar amounts if possible, the increase in the level of direct costs such as fees, and the indirect costs such as reporting, record keeping, equipment, construction, labor, professional services, revenue loss, or other costs expected to be incurred by a particular entity due to compliance with the proposed rule.

COPIES OF PROPOSED RULES:

Copies of the proposed rules may be obtained from the contact person, reviewed at the Department of Environmental Quality, 707 N. Robinson, Oklahoma City, Oklahoma 73102, or reviewed online at <http://deq.state.ok.us/LPDnew/LPPproprules.htm>.

RULE IMPACT STATEMENT:

Copies of the rule impact statement may be obtained from the contact person or may be reviewed online at <http://deq.state.ok.us/LPDnew/LPPproprules.htm>.

CONTACT PERSON:

The contact person is Hillary Young, Chief Engineer, Land Protection Division. She can be reached at Hillary.Young@deq.ok.gov (e-mail), (405) 702-5100 (phone) or (405) 702-5101 (fax).

The DEQ is located at 707 N. Robinson, Oklahoma City, Oklahoma 73102. The mailing address is P.O. Box 1677, Oklahoma City, Oklahoma 73101-1677.

ADDITIONAL INFORMATION:

Persons with disabilities who desire to attend the rulemaking hearing and need an accommodation should notify the contact person three (3) days in advance of the hearing. For hearing impaired, the TDD relay number is 1-800-522-8506 or 1-800-722-0353, for TDD machine use only.