

**OKLAHOMA DEPARTMENT OF ENVIRONMENTAL QUALITY
INDUSTRIAL WASTEWATER TREATMENT/DISPOSAL PERMIT**

**PERMIT NUMBER: WD16-840
ID NUMBER: I-04000250**

In compliance with the Oklahoma Pollutant Discharge Elimination System Act (OPDES Act), 27A O.S. Supp., §2-6-201 et seq., and the rules of the Oklahoma Department of Environmental Quality promulgated thereunder,

Crossroads Truck Wash
Rt. 2 Box 39
Balko, OK 73931

is authorized to treat and dispose of wastewater in one (1) total retention surface impoundment (T01) as described in the Appendix. The facility is located at:

NW¼, NW¼, NW¼, Section 29, Township 2N, Range 21ECM
Beaver County, Oklahoma
or at Rt. 2 Box 39, Balko, OK 73931

The wastewater consists of process wastewater generated from washing the exterior of cars and commercial trucks and is classified as Class III wastewater, in accordance with OAC 252:616-1-2.

Discharge of wastewater to waters of the State is specifically prohibited.

The facility shall be maintained in accordance with the conditions set forth in Parts I, II, and III hereof.

Issuance of this permit in no way or in any respect affects the permittee's civil or criminal responsibility regarding disposal of wastewater, except with respect to the permittee's legal responsibility under the OPDES Act and Department Rules.

This is a new permit.

This permit shall become effective on .

This permit and the authorization to operate the disposal system shall expire at midnight, on .

Issued this ____ day of _____, 2016.

Carol Paden, P.E., Manager
Industrial Permits Section
Water Quality Division

Shellie Chard-McClary, Director
Water Quality Division

PART II OTHER PERMIT REQUIREMENTS

A. The permittee is hereby given notice that this permit is in all respects subject to compliance with and actions under any and all applicable and relevant terms, conditions, provisions and requirements and any and all amendments of the laws of the State of Oklahoma, the rules of the Oklahoma Department of Environmental Quality, and Oklahoma's Water Quality Standards. The absence of any express reference within this permit of any particular statutory requirement, rule(s), regulation(s), or standard(s) shall in no respect be deemed or construed to exempt or preclude the application of such requirement, rule(s), regulation(s), or standard(s) to this permit or the permittee. By the Director's approval, grant, and issuance of this permit, permittee acknowledges receipt of true, correct, and current copies of Oklahoma's Water Quality Standards, as amended, and the rules of the Oklahoma Department of Environmental Quality, provided, however, that permittee further acknowledges that any and all amendments thereto shall become part of this permit.

B. REOPENER CLAUSE

The permit may be reopened to implement and/or require impoundment and/or tank system modifications, additions, extensions, and/or operational changes; monitoring and reporting; reclassification of wastes; sludge management plans; best management practices; closure plans; and/or other appropriate actions.

C. SURFACE IMPOUNDMENT REQUIREMENTS

1. A minimum freeboard of three (3) feet is required to be maintained for surface impoundment T01.
2. Specific Requirements for Surface Impoundments
 - a. In accordance with OAC 252:616-5-1(c), the permittee shall post a sign near the surface impoundments listing the name of the facility operator, an emergency telephone number, and the DEQ permit number.
3. At such time as surface impoundment T01 are to be permanently taken out of service or at such time as the contents of T01 pose a risk to the environment or waters of the State, the owner or operator of the facility shall follow all closure requirements contained in OAC 252:616-13.
4. In all other respects, surface impoundment T01 shall be subject to standard conditions for surface impoundments contained in OAC 252:616, Subchapters 5, 7, and 13, including but not limited to requirements for construction, operation, maintenance, monitoring, and closure.

D. TANK SYSTEM REQUIREMENTS

Not applicable since there are no tank systems that contain industrial wastewater at this facility.

E. OTHER DISPOSAL METHODS

Solids, sludges, filter backwash, or other pollutants removed in the course of treatment or control of wastewaters shall be disposed of in a State-approved waste disposal site or to a company for recycling. Disposal of any waste or wastewater shall be in a manner such as to prevent any pollutant from such materials from entering waters of the State or waters of the United States.

If any such waste or wastewater is removed from the facility, the permittee shall keep accurate records that include the following information:

1. Name and address of company hauling waste.
2. The type and amount of waste hauled.
3. The final disposal site of waste hauled.

The permittee shall retain the above records for a period of at least five (5) years. Upon request, the above records shall be made available to the DEQ's staff for inspection, review, and copying.

- F.** The permit does not authorize any disposal of pollutants or wastes other than by the total retention surface impoundment (T01) authorized in the permit.

APPENDIX

Description of Surface Impoundment

Classification OAC 252:616-1-2		Liner Description OAC 252:616-7-1(8)	Holding Capacity OAC 252:616-7-1(6) ^(b)	Wastewater Destination
S.I. ^(a)	Wastewater			
T01	Vehicle and truck wash water Class III	Compacted Clay	152,600 gallons 78' x 120' x 7.5'	Total retention

^(a) Designation T refers to total retention surface impoundments.

^(b) Based on information provided in application. Freeboard requirements in Part II.C.1 must be met.

Location of Surface Impoundment

S.I.	Legal Location	General Location and Description
T01	NW¼, NW¼ Section 29, Township 2N, Range 21ECM Beaver County, Oklahoma	Southeast of facility, south of domestic lagoon