



STEVEN A. THOMPSON
Executive Director

OKLAHOMA DEPARTMENT OF ENVIRONMENTAL QUALITY

BRAD HENRY
Governor

October 1, 2009

International Paper
Attn: Mr. Brad Burris
890 Weyerhaeuser Lane
Highway 70 West
Valliant, OK 74764

Subject: Best Available Retrofit Technology (BART) Waiver
Valliant Plant

Dear Mr. Burris:


The Oklahoma Department of Environmental Quality (ODEQ) received a BART waiver request for the referenced site on December 1, 2006.

After the technical review, the ODEQ is approving a waiver for the Valliant Plant. This waiver is based on facility BART sources which are not expected to cause or contribute to visibility impacts at Class I areas based on submitted modeling and proposed changes/limits as detailed in the application.

The active Title V permit will now be modified to include requirements that the facility comply with the proposed changes/limits in the application within five years of the Regional Haze SIP approval by EPA. Also to be included, will be a requirement that the facility modify the operating permit to incorporate the proposed method of compliance with Appendix Y to Part 51, V. Enforceable Limits. The operating permit shall be modified no later than 6 months prior to the SIP approval.

While ODEQ has approved the waiver, the waiver is subject to EPA and public comment during the Regional Haze State Implementation Program (SIP) approval process.

Thank you for your cooperation in this matter. If we may be of further service, please contact Phillip Fielder (405) 702-4100.

Sincerely,


Phillip Fielder, Permits and Engineering Section Manager
AIR QUALITY DIVISION





STEVEN A. THOMPSON
Executive Director

OKLAHOMA DEPARTMENT OF ENVIRONMENTAL QUALITY

BRAD HENRY
Governor

March 4, 2008

Western Farmers Electric Cooperative
Attn: Mr. Gerald Butcher
P.O. Box 429
Anadarko, OK 73118

Subject: Best Available Retrofit Technology (BART) Waiver
Western Farmers Anadarko Plant

Dear Mr. Butcher:

The Oklahoma Department of Environmental Quality (ODEQ) received a BART waiver request for the referenced site on March 26, 2007.

After the technical review, the ODEQ is approving a waiver for the Anadarko Plant. This waiver is based on facility BART sources which are not expected to cause or contribute to visibility impacts at Class I areas based on submitted modeling and proposed changes as detailed in the application.

The active Title V permit will now be modified to include requirements that the facility comply with the proposed changes/limits in the application within five years of the Regional Haze SIP approval by EPA. Also to be included, will be a requirement that the facility modify the operating permit to incorporate the proposed method of compliance with Appendix Y to Part 51, V. Enforceable Limits. The operating permit shall be modified no later than 6 months prior to the SIP approval.

While ODEQ has approved the waiver, the waiver is subject to EPA and public comment during the Regional Haze State Implementation Program (SIP) approval process.

Thank you for your cooperation in this matter. If we may be of further service, please contact Phillip Fielder (405) 702-4100.

Sincerely,


Dawson Lasseffer, Chief Engineer
AIR QUALITY DIVISION





STEVEN A. THOMPSON
Executive Director

OKLAHOMA DEPARTMENT OF ENVIRONMENTAL QUALITY

BRAD HENRY
Governor

April 9, 2008

Georgia Pacific Corporation
Attn: Mr. Steve Landers
4901 Chandler Road
Muskogee, OK 74403-4909

Subject: Best Available Retrofit Technology (BART) Waiver
Muskogee Mill

Dear Mr. Landers:

The Oklahoma Department of Environmental Quality (ODEQ) received a BART waiver request for the referenced site on March 30, 2007.


After the technical review, the ODEQ is approving a waiver for the Muskogee Mill. This waiver is based on facility BART sources which are not expected to cause or contribute to visibility impacts at Class I areas based on submitted modeling and proposed changes as detailed in the application.

The active Title V permit will now be modified to include requirements that the facility comply with the proposed changes/limits in the application within five years of the Regional Haze SIP approval by EPA. Also to be included, will be a requirement that the facility modify the operating permit to incorporate the proposed method of compliance with Appendix Y to Part 51, V. Enforceable Limits. The operating permit shall be modified no later than 6 months prior to the SIP approval.

While ODEQ has approved the waiver, the waiver is subject to EPA and public comment during the Regional Haze State Implementation Program (SIP) approval process.

Thank you for your cooperation in this matter. If we may be of further service, please contact Phillip Fielder (405) 702-4100.

Sincerely,


Dawson Cassette, Chief Engineer
AIR QUALITY DIVISION





STEVEN A. THOMPSON
Executive Director

OKLAHOMA DEPARTMENT OF ENVIRONMENTAL QUALITY

BRAD HENRY
Governor

February 22, 2008

Koch Nitrogen Co.
Attn: Mr. Cody Greenfield
1619 S. 78th.
Enid, OK 73072

Subject: Best Available Retrofit Technology (BART) Waiver
Enid Nitrogen Plant

Dear Mr. Greenfield:


The Oklahoma Department of Environmental Quality (ODEQ) received a BART waiver request for the referenced site on December 1, 2006.

After the technical review, the ODEQ is approving a waiver for the Enid Plant. This waiver is based on facility BART sources which are not expected to cause or contribute to visibility impacts at Class I areas based on submitted modeling.

While ODEQ has approved the waiver, the waiver is subject to EPA and public comment during the Regional Haze State Implementation Program (SIP) approval process.

Thank you for your cooperation in this matter. If we may be of further service, please contact Phillip Fielder (405) 702-4100.

Sincerely,


Dawson Lasseter, Chief Engineer
AIR QUALITY DIVISION





STEVEN A. THOMPSON
Executive Director

OKLAHOMA DEPARTMENT OF ENVIRONMENTAL QUALITY

BRAD HENRY
Governor

June 16, 2008

Lafarge Building Materials
Attn: Ms. Pamela Bennett
2609 N. 145th East Avenue
Tulsa, OK 74116

Subject: Best Available Retrofit Technology (BART) Waiver
Lafarge – Tulsa Cement Plant

Dear Ms. Bennett:

The Oklahoma Department of Environmental Quality (ODEQ) received a BART waiver request for the referenced site on December 1, 2006 with updates received November 14, 2007, and March 17, 2008.

After the technical review, the ODEQ is approving a waiver for the Tulsa Cement Plant. This waiver is based on facility BART sources which are not expected to cause or contribute to visibility impacts at Class I areas based on submitted modeling.

While ODEQ has approved the waiver, the waiver is subject to EPA and public comment during the Regional Haze State Implementation Program (SIP) approval process.

Thank you for your cooperation in this matter. If we may be of further service, please contact Phillip Fielder (405) 702-4100.

Sincerely,


Dawson Lassetter, Chief Engineer
AIR QUALITY DIVISION





STEVEN A. THOMPSON
Executive Director

OKLAHOMA DEPARTMENT OF ENVIRONMENTAL QUALITY

BRAD HENRY
Governor

February 22, 2008

OG&E
Attn: Mr. David Branecky
P.O. Box 321
OKC, OK 73101-0321

Subject: Best Available Retrofit Technology (BART) Waiver
Horseshoe Lake Generating Station

Dear Mr. Branecky:

The Oklahoma Department of Environmental Quality (ODEQ) received a BART waiver request for the referenced site on December 1, 2006.

After the technical review, the ODEQ is approving a waiver for the Horseshoe Lake Generating Station. This waiver is based on facility BART sources which are not expected to cause or contribute to visibility impacts at Class I areas based on submitted modeling.

While ODEQ has approved the waiver, the waiver is subject to EPA and public comment during the Regional Haze State Implementation Program (SIP) approval process.

Thank you for your cooperation in this matter. If we may be of further service, please contact Phillip Fielder (405) 702-4100.

Sincerely,

Dawson Lasseter, Chief Engineer
AIR QUALITY DIVISION





STEVEN A. THOMPSON
Executive Director

OKLAHOMA DEPARTMENT OF ENVIRONMENTAL QUALITY

BRAD HENRY
Governor

February 22, 2008

Public Service Company of Oklahoma
Attn: Mr. Howard Ground
1601 NW Expressway, Suite 1400
OKC, OK 73118

Subject: Best Available Retrofit Technology (BART) Waiver
Riverside Power Station

Dear Mr. Ground:


The Oklahoma Department of Environmental Quality (ODEQ) received a BART waiver request for the referenced site on December 1, 2006.

After the technical review, the ODEQ is approving a waiver for the Riverside Power Station. This waiver is based on facility BART sources which are not expected to cause or contribute to visibility impacts at Class I areas based on submitted modeling.

While ODEQ has approved the waiver, the waiver is subject to EPA and public comment during the Regional Haze State Implementation Program (SIP) approval process.

Thank you for your cooperation in this matter. If we may be of further service, please contact Phillip Fielder (405) 702-4100.

Sincerely,


Dawson Lasseter, Chief Engineer
AIR QUALITY DIVISION





STEVEN A. THOMPSON
Executive Director

OKLAHOMA DEPARTMENT OF ENVIRONMENTAL QUALITY

BRAD HENRY
Governor

February 22, 2008

Sinclair Oil Corporation
Attn: Mr. Steve Moyer
P.O. Box 970
Tulsa, OK 74101

Subject: Best Available Retrofit Technology (BART) Waiver
Tulsa Refinery

Dear Mr. Moyer:


The Oklahoma Department of Environmental Quality (ODEQ) received a BART waiver request for the referenced site on December 5, 2006.

After the technical review, the ODEQ is approving a waiver for the Tulsa Refinery. This waiver is based on facility BART sources which are not expected to cause or contribute to visibility impacts at Class I areas based on submitted modeling.

While ODEQ has approved the waiver, the waiver is subject to EPA and public comment during the Regional Haze State Implementation Program (SIP) approval process.

Thank you for your cooperation in this matter. If we may be of further service, please contact Phillip Fielder (405) 702-4100.

Sincerely,


Dawson Lassetter, Chief Engineer
AIR QUALITY DIVISION





STEVEN A. THOMPSON
Executive Director

OKLAHOMA DEPARTMENT OF ENVIRONMENTAL QUALITY

BRAD HENRY
Governor

February 22, 2008

Sunoco, Inc.
Attn: Mr. Andrew Haar
P.O. Box 2039
Tulsa, OK 74102-2039

Subject: Best Available Retrofit Technology (BART) Waiver
Tulsa, Oklahoma Refinery

Dear Mr. Haar:

The Oklahoma Department of Environmental Quality (ODEQ) received a BART waiver request for the referenced site on November 29, 2006.

After the technical review, the ODEQ is approving a waiver for the Tulsa Refinery. This waiver is based on facility BART sources which are not expected to cause or contribute to visibility impacts at Class I areas based on submitted modeling.

While ODEQ has approved the waiver, the waiver is subject to EPA and public comment during the Regional Haze State Implementation Program (SIP) approval process.

Thank you for your cooperation in this matter. If we may be of further service, please contact Phillip Fielder (405) 702-4100.

Sincerely,

Dawson Lassiter, Chief Engineer
AIR QUALITY DIVISION



Co. File



STEVEN A. THOMPSON
Executive Director

OKLAHOMA DEPARTMENT OF ENVIRONMENTAL QUALITY

BRAD HENRY
Governor

February 22, 2008

~~Terra Nitrogen LTD Partnership~~
Attn: Mr. Gary Collins
6600 East 540 Road
Claremore, OK 74017

Subject: Best Available Retrofit Technology (BART) Waiver
~~Verdigris Plant~~

Dear Mr. Collins:

The Oklahoma Department of Environmental Quality (ODEQ) received a BART waiver request for the referenced site on December 1, 2006.

After the technical review, the ODEQ is approving a waiver for the Verdigris Plant. This waiver is based on facility BART sources which are not expected to cause or contribute to visibility impacts at Class I areas based on submitted modeling.

While ODEQ has approved the waiver, the waiver is subject to EPA and public comment during the Regional Haze State Implementation Program (SIP) approval process.

Thank you for your cooperation in this matter. If we may be of further service, please contact Phillip Fielder (405) 702-4100.

Sincerely,


Dawson Lasseter, Chief Engineer
AIR QUALITY DIVISION





STEVEN A. THOMPSON
Executive Director

OKLAHOMA DEPARTMENT OF ENVIRONMENTAL QUALITY

BRAD HENRY
Governor

February 22, 2008.

Terra International Oklahoma, Inc.
Attn: Mr. Brian Flanagan
1000 Terra Drive
Woodward, OK 73801

Subject: Best Available Retrofit Technology (BART) Waiver
Woodward Plant

Dear Mr. Flanagan:

The Oklahoma Department of Environmental Quality (ODEQ) received a BART waiver request for the referenced site on December 1, 2006.

After the technical review, the ODEQ is approving a waiver for the Woodward Plant. This waiver is based on facility BART sources which are not expected to cause or contribute to visibility impacts at Class I areas based on submitted modeling.

While ODEQ has approved the waiver, the waiver is subject to EPA and public comment during the Regional Haze State Implementation Program (SIP) approval process.

Thank you for your cooperation in this matter. If we may be of further service, please contact Phillip Fielder (405) 702-4100.

Sincerely,


Dawson Lasseter, Chief Engineer
AIR QUALITY DIVISION





STEVEN A. THOMPSON
Executive Director

OKLAHOMA DEPARTMENT OF ENVIRONMENTAL QUALITY

BRAD HENRY
Governor

February 22, 2008

Valero
Attn: Mr. Greg Elliott
P.O. Box 188
Ardmore, OK 73402-0188

Subject: Best Available Retrofit Technology (BART) Waiver
Ardmore Refinery

Dear Mr. Elliott:

The Oklahoma Department of Environmental Quality (ODEQ) received a BART waiver request for the referenced site on October 24, 2006.

After the technical review, the ODEQ is approving a waiver for the Ardmore Refinery. This waiver is based on facility BART sources which are not expected to cause or contribute to visibility impacts at Class I areas based on submitted modeling.

While ODEQ has approved the waiver, the waiver is subject to EPA and public comment during the Regional Haze State Implementation Program (SIP) approval process.

Thank you for your cooperation in this matter. If we may be of further service, please contact Phillip Fielder (405) 702-4100.

Sincerely,


Dawson Lassetter, Chief Engineer
AIR QUALITY DIVISION





STEVEN A. THOMPSON
Executive Director

OKLAHOMA DEPARTMENT OF ENVIRONMENTAL QUALITY

BRAD HENRY
Governor

February 26, 2007

Western Farmers Electric Cooperative
Attn: Mr. Gerald Butcher
P.O. Box 429
Anadarko, OK 73118

Subject: Best Available Retrofit Technology (BART) Waiver
Mooreland Generating Station

Dear Mr. Butcher:

The Oklahoma Department of Environmental Quality (ODEQ) received a BART waiver request for the referenced site on December 1, 2006.

After the technical review, the ODEQ is approving the waiver for the Mooreland Generation Station. This waiver is based on facility BART sources which are not expected to cause or contribute to visibility impacts at Class I areas based on submitted modeling.

While ODEQ has approved the waiver, the waiver is subject to EPA and public comment during the Regional Haze State Implementation Program (SIP) approval process.

Thank you for your cooperation in this matter. If we may be of further service, please contact Phillip Fielder (405) 702-4100.

Sincerely,


Dawson Lasseter, Chief Engineer
AIR QUALITY DIVISION



Co. File



STEVEN A. THOMPSON
Executive Director

OKLAHOMA DEPARTMENT OF ENVIRONMENTAL QUALITY

BRAD HENRY
Governor

February 22, 2008

Wynnewood Refining Company
Attn: Mr. Chris Hawley
P.O. Box 305
Wynnewood, Oklahoma 73098

Subject: Best Available Retrofit Technology (BART) Waiver
Wynnewood Refinery

Dear Mr. Hawley:

The Oklahoma Department of Environmental Quality (ODEQ) received a BART waiver request for the referenced site on December 4, 2006.

After the technical review, the ODEQ is approving a waiver for the Wynnewood Refinery. This waiver is based on facility BART sources which are not expected to cause or contribute to visibility impacts at Class I areas based on submitted modeling.

While ODEQ has approved the waiver, the waiver is subject to EPA and public comment during the Regional Haze State Implementation Program (SIP) approval process.

Thank you for your cooperation in this matter. If we may be of further service, please contact Phillip Fielder (405) 702-4100.

Sincerely,

Dawson Lassetter, Chief Engineer
AIR QUALITY DIVISION

