

# Environmental Board Rulemaking Activities

Chapter	Council	Subject	Approved	Type	Effective
100 SC 1	AQAC	Amended 252:100-1-2, Statutory definitions, to correct an incorrect statutory citation and update the latest statutory publication date. Also amended 252:100-1-3, Definitions, to make a minor clarification to a definition, correct a truncated definition, add a definition for clarification, and alphabetically re-order a definition.	EQB 9-10-19 Governor 6-25-20	Permanent	9/15/19
100 SCs 37,39, Appendix N	AQAC	Amended 252:100-37-27, 252:100-39-47, and Appendix N to provide the aerospace industry with updated requirements that better reflect current aerospace industry coating formulations and practices, and to make those rules applicable statewide. This ensures the aerospace industry in Oklahoma can operate as necessary with standards specific to the industry and consistent with rules already in place for Tulsa County to reduce the formation of ozone.	EQB 9-10-19 Governor 6-25-20	Permanent	9/15/19
100 SCs 2, 13, 39, Appendix Q	AQAC	Amended OAC 252:100, Appendix Q, Incorporation by Reference, to incorporate the latest changes to U.S. Environmental Protection Agency (EPA) regulations. Amended Subchapter 2, Incorporation by Reference, to reflect the latest date of incorporation of EPA regulations in Appendix Q. Amended OAC 252:100-13, Open Burning, and added OAC 252:100-13-8.1, to conform DEQ rules to statutory changes enacted in the 2019 legislative session. Amended OAC 252:100-13-2, Definitions, to reflect an update in terminology from “watch” to “alert” for ozone and particulate matter notifications. Amended OAC 252:100-13-7(1), Fire training, to clarify specific inspection and removal requirements, as provided for in the Oklahoma Clean Air Act. Revoked OAC 252:100-39-49, Manufacturing of fiberglass reinforced plastic products, to reduce the regulatory burden on facilities by eliminating an antiquated rule where a federal regulation now sufficiently limits emissions of air pollutants.	EQB 11-8-19 Governor 6-25-20	Permanent	9/15/19
410 SC 1, 10	RMAC	(1) Amended OAC 252:410-1-7(a) to change the date for incorporation of federal regulations by reference. (2) Amended the regulations related to the medical use of byproduct material to conform the Oklahoma rules to the updated federal regulations which includes revisions to 10 CFR Parts 30, 32 and 35. (3) Amended OAC 252:410-10-32 by renaming subparts C and D and moving Sections 32.72 and 32.74 from subpart B to subpart C because they do not cover generally licensed items. (4) Amended OAC 252:410-10-1 OAC 252:410-10-40 to correct an error made when 10 CFR 40 was adopted.	EQB 11-8-19 Governor 6-25-20	Permanent	9/15/19
100 SC 17	AQAC	Amended OAC 252:100-17, Incinerators, to clarify the applicability of Part 9, Commercial and industrial solid waste incineration units (CISWI), to existing air curtain incinerators, which updates the rule in accordance with recent changes to the federal emission guidelines in 40 CFR Part 60, Subpart DDDD.	EQB 2-21-20 Governor 6-25-20	Permanent	9/15/19
205 SCs 3, 5	HWMAC	Amended DEQ hazardous waste rules to ensure consistency with the federal regulations by incorporating by reference the regulations found in 40 CFR Parts 124 and 260-279.	EQB 2-21-20 Governor 6-25-20	Permanent	9/15/19
515 SCs 19,27	SWMAC	Amended OAC 252:515 to revise potentially confusing regulations and to clarify deadlines related to cost estimates, specify deadlines for financial assurance mechanisms, and make a minor grammatical change related to dust control.	EQB 2-21-20 Governor 6-25-20	Permanent	9/15/19
641 SCs 1, 3, 5, 7, 9, 10, 12, 15, 21, 22, 23, Appendices C, E, F, M	WQMAC	Amended Water Quality rules to: (1) clarify the definitions of “Sewage”, (2) clarify ownership as it applies to on-site systems, (3) remove the building sewer construction requirements and reference the most current adoption of the Oklahoma Plumbing Code, (4) require the installation of an access manhole over the septic tank inlet baffle, (5) include language to allow the use of aerobic treatment systems for commercial small public facilities, increase the overall installation depth of the systems, and clarify the maintenance requirements, (6) amend the construction requirements for ET/A system to allow for a depth of installation range from 18-24 inches, (7) amend the drip installation requirements to include a daily pumping timeframe and clarify the drip pipe spacing requirements, (8) add closure requirements for lagoons and require signage for all small public lagoons, (9) add language that defines the timeframe a passing test score is valid as it applies to Certified Installers and Certified Soil Profilers and define the timeframe records are to be retained, (10) include language that references OAC 252:4-7 that addresses the refunding of permit fees, and (11) make other minor clarifications and corrections. Updated to include changes for clarity, reinserted the fee provision that was removed from the original proposed rules prior to submittal to the legislature, and provided notification provisions.	EQB 2-21-20 Governor 6-25-20	Permanent	9/15/19
710 SCs 1, 3, 5, 7, Appendices B, C	WQMAC	Amendments of Water Quality rules to enhance the professional development of operators in Oklahoma by (1) allowing DEQ to approve a variety of training opportunities that minimize the financial impact on operators and employers and help rural operators to achieve the required training hours; (2) allowing environmental professionals, such as DEQ staff and consulting engineers, to obtain a special non-operational certification to demonstrate a fundamental understanding of operator knowledge; and (3) modifying language to change the time of approval and review for training courses from 30 to 42 days. Also amended to incorporate the language of Senate Bill No. 670 that provides for certification reciprocity for military personnel being transferred to Oklahoma. Appendix C has been added to clarify the number of Professional Development Hours needed for each certificate level.	EQB 2-21-20 Governor 6-25-20	Permanent	9/15/19

