

Volatile Organic Chemicals

Volatile Organic Compounds (VOCs) are included in EPA's Chemical Contaminant Phase II/V Rule for drinking water. VOCs are any compound containing more than one atom of carbon that can evaporate into the air. VOCs can occur in drinking water sources as a result of contamination by spills or improper disposal of products containing VOCs. Some of the more well-known VOCs are Benzene, Toluene and Xylenes.

The Federal Safe Drinking Water Act

The Federal Safe Drinking Water Act requires all of the nation's public water supplies to be tested periodically for various potential contaminants. VOC analysis of drinking water is one of several services provided by DEQ's State Environmental Laboratory (SEL).

The purpose of this Fact Sheet is to assist you with interpreting test results. SEL can test for up to 21 VOCs. Table 1 shows EPA's Drinking Water Maximum Contaminant Levels (MCLs) for these chemicals. Drinking water that exceeds any of these MCLs is not considered safe for human consumption.

The unit of measure for volatile organic chemical analysis is µg/L or microgram per liter of water. One µg/L is equivalent to one part per billion. When a result is reported as less than (<) some number, it means that chemical was not measurable in that sample.

Should you have any questions concerning test results, please contact the SEL at (405) 702-1000 or (866) 412-3057 for assistance.

For additional information on this subject you may contact your local DEQ representative or the Water Quality Division of the Department Of Environmental Quality at (405) 702-8100.



Table 1. Drinking Water Maximum Contaminant Levels

Chemical Parameter	MCL (µg/L)
1,1 Dichloroethene	7
1,1,1-Trichloroethane	200
1,1,2-Trichloroethane	5
1,2-Dichloroethane	5
1,2-Dichloropropane	5
1,2,4-Trichlorobenzene	70
Benzene	5
Carbon Tetrachloride	5
cis-1,2-Dichloroethene	70
Dichloromethane	5
Ethylbenzene	700
Monochlorobenzene	100
o-Dichlorobenzene	600
para-Dichloroenezene	75
Styrene	100
Tetrachloroethene	5
Toluene	1000
trans-1,2-Dichloroethene	100
Trichloroethene	5
Vinyl Chloride	2
Xylenes (total)	10,000

40 CFR 141.61

This publication is issued by the Oklahoma Department of Environmental Quality authorized by Scott A. Thompson, Executive Director. Copies have been prepared at a cost of \$0.053 each. Copies have been deposited with the publications clearinghouse of the Oklahoma Department of Libraries. (Fact Sheets\SEL\Volatile Organic Chemicals.indd 5/2019)