

OKLAHOMA GAS & ELECTRIC

McCLAIN FACILITY

UIC CLASS I PERMIT RENEWAL APPLICATION

MASTER TABLE OF CONTENTS

TABLE OF CONTENTS	i
LIST OF FIGURES	iii
LIST OF TABLES	iv
LIST OF APPENDICES	v
I. RESERVOIR MECHANICS	1
I.A. Reservoir Mechanics of the Injection Reservoir.....	1
I.A.1 Injection Zone Stratigraphy and Lithology.....	2
I.A.2 Characteristics of the Injection Reservoir.....	2
I.A.2.1 Layer Thickness	2
I.A.2.2 Permeability and Transmissivity	3
I.A.2.3 Porosity.....	4
I.A.2.4 Temperature.....	5
I.A.2.5 Compressibility	5
I.A.2.6 Layer Dispersion Characteristics	7
I.A.2.6.1 Multiplying Factor for Advective Dispersion in Basic Plume Model	7
I.A.2.7 Wellbore Characteristics.....	10
I.A.2.8 Reservoir Fluid Dissolved Solids Content, Viscosity, and Specific Gravity.....	10
I.A.2.9 Initial and Current Static Reservoir Pressure	11
I.A.3 Estimation of Fracture Pressure	12
I.A.3.1 Maximum Allowable Surface Injection Pressure Calculation	12
I.A.4 Prediction of Reservoir Pressure Increase	13

I.A.4.1 The DuPont Multilayer Pressure Model..... 13
I.A.4.2 Modeled Injection Rate 14
I.A.4.3 Modeled Injection Interval Transmissibilities..... 15
I.A.4.4 Pressure Model Results 15
I.A.4.5 Pressure Recovery 17
I.A.5 Determination of the Cone of Influence 17
I.A.6 Justification of Plume Geometry 21
I.A.7 Extent of the Waste Plume 22
I.A.7.1 The DuPont Basic Plume Model..... 22
I.A.7.2 Modeled Injection Rate 23
I.A.7.3 Plume Model Results 23
I.A.7.3.1 Horizontal Extent 24
REFERENCES 26

FIGURES

- Figure 1 Comparison of model predicted pressure buildup with time and calculated ambient falloff test flowing bottomhole pressures
Figure 2 Projected Pressure Increase at Injection Well 1 (WDW-1) at Maximum Injection Rates
Figure 3 Pressure Contour Plot at End of Historical Injection Period (YE2022)
Figure 4 Pressure Contour Plot at End of 2035 at Maximum Injection Rate (530 gpm)
Figure 5 Pressure Profile at End of 2035 at Maximum Injection Rate (530 gpm)
Figure 6 Plume Plot at End of Historical Injection (YE2022)
Figure 7 Plume Plot at End of 2035 at Maximum Injection Rate (530 gpm)

TABLES

- Table 1 Sand Layer Designations and Thickness
Table 2 Summary of Historical Injection/Falloff Tests
Table 3 Average Sand Layer Porosity

Table 4 Sand Layer Geological Multiplying Factor

Table 5 Original Static Pressure Gradient Surveys

Table 6 Summary of Historical Injection and Static Pressures

Table 7 Maximum Requested Surface Injection Pressure

Table 8 DuPont Multilayer Pressure Model Input Parameters

Table 9 DuPont Multilayer Pressure Model Injection Rate

Table 10 DuPont Multilayer Pressure Model Transmissibility

Table 11 DuPont Multilayer Pressure Model – Pressure Distribution Results

Table 12 Calculated radius of the Cone of Influence from the Proposed Injection Well

Table 13 DuPont Basic Plume Model Input Parameters

Table 14 DuPont Basic Plume Model Injection Rate

Table 15 DuPont Basic Plume Model – Plume Distribution Results

APPENDICES

Appendix 1 DuPont Multilayer Pressure Model

Appendix 2 DuPont Basic Plume Model

Appendix 3 Computer Run and Output Files - DuPont Multilayer Pressure Model

Appendix 4 Computer Run and Output Files - DuPont Basic Plume Model

Volume 2

ATTACHMENT A - AREA OF REVIEW METHODS

LIST OF FIGURES ii

LIST OF TABLES iii

LIST OF APPENDICES iv

Area of Review Methods 1

A.1 Area of Review Map 3

A.2 Calculation of the Cone of Influence 4
A.3 Artificial Penetrations in the Area of Review 9
 A.3.1 Well Identification and Data Sources..... 9
 A.3.2 Incomplete Records 9
 A.3.3 Confining/Injection Zone Penetration..... 10
 A.3.4 Tabulation of Artificial Penetrations in the Area of Review 10
 A.3.5 Schematics and Records for Artificial Penetrations in the Area of Review 10
 A.3.6 Modeling Improperly Constructed or Plugged Wells 10
 A.3.7 Corrective Action Plan for Improperly Constructed or Abandoned Artificial Penetrations..... 15
A.4 Landowner Information 15
REFERENCES 17

FIGURES

- Figure A-1 OGE McClain Energy Facility Site Injection Well Location Map
- Figure A-2 Artificial Penetrations and Water Wells Map
- Figure A-3 Adjacent Landowner Map

TABLES

- Table A-1 Calculated Radius of the Cone of Influence from the Proposed Injection Well
- Table A-2 Artificial Penetrations Within 2.0-Mile AOR – Allowable Pressure Buildups

APPENDICES

- Appendix A-1 Artificial Penetrations within the 2.0 Mile Radius Area of Review - APs 1 - 13

Volume 3

- Appendix A-1 Artificial Penetrations within the 2.0 Mile Radius Area of Review - APs 17 - 43

Volume 4

- Appendix A-1 Artificial Penetrations within the 2.0 Mile Radius Area of Review - APs 44 - 81
- Appendix A-2 General Warranty Deed

Volume 5

ATTACHMENT B - GEOLOGICAL AND GEOPHYSICAL INFORMATION

LIST OF FIGURES	iii
LIST OF TABLES	v
LIST OF APPENDICES	vi
B. GEOLOGICAL AND GEOPHYSICAL INFORMATION	1
B.1 GEOLOGICAL AND GEOPHYSICAL INFORMATION	2
B.1.A Regional and Local Geology	2
B.1.B Local Stratigraphy.....	3
B.1.B.1 Checkerboard Limestone.....	4
B.1.B.2 Oread Limestone (Lower Confining Zone).....	4
B.1.B.3 Pawhuska (Primary Injection Zone).....	4
B.1.B.4 Lower Post Oak (Upper Confining Zone).....	5
B.1.B.5 Upper Post Oak	5
B.1.B.6 The Garber-Wellington.....	5
B.1.B.7 The Hennessey Formation.....	6
B.1.B.8 Quaternary Alluvium.....	6
B.1.C Confining and Injection Zones Characteristics.....	6
B.1.C.1 The Upper Confining Zone (UCZ).....	6
B.1.C.2 The Lower Confining Zone (LCZ).....	7
B.1.C.3 Pawhuska Injection Zone	8
B.1.C.3.1 Upper Sand Injection Interval	10
B.1.C.3.2 Lower Sand Injection Interval	10
B.1.C.3.3 Other Possible Injection Zones	11
B.1.C.5 Injection Zone Total Dissolved Solids	11
B.1.D Hydrogeology	13
B.1.D.1 Regional Hydrology	13
B.1.D.2 Local Hydrology	13
B.1.D.2.1 Base of Lowermost USDW	15

B.1.D.2.2 Water Wells in the Area of Review 16

B.1.E Geologic Structure of the Local Area 19

B.1.F Geological Cross-Sections 19

B.1.G Faults And Fracture Systems 20

B.1.H Seismic Activity 20

 B.1.H.1 Regional Seismicity..... 20

 B.2.H.2 Earthquake History of Oklahoma..... 21

 B.2.H.3 Induced Seismicity 23

 B.2.H.4 Seismic Risk 25

 B.2.H.5 Local Seismicity..... 26

 B.2.H.5.1 Seismic Risk Assessment of Area of Review 26

 B.2.H.5.1 Local Seismic History..... 28

B.1.I UIC Well Location Criteria..... 29

B.2 Proposed Formation Testing Program..... 34

REFERENCES 35

FIGURES

Figure B-1 WDW-1 Annotated Open Hole Log

Figure B-2 Cross-Section Location Map

Figure B-3 Cross-Section A-A’

Figure B-4 Cross-Section B-B’

Figure B-5 Structure Map - Top of Lower Confining Zone

Figure B-6 Isopach Map of Primary Injection Zone

Figure B-7 Structure Map - Top of Primary Injection Zone

Figure B-8 Isopach Map – Top of Upper Confining Zone

Figure B-9 Structure Map - Top of Upper Confining Zone

Figure B-10 Structure Map - Top of Garber-Wellington Formation

Volume 6

ATTACHMENT B - GEOLOGICAL AND GEOPHYSICAL INFORMATION

- Figure B-11 Hydrologic Cross Section Map
- Figure B-12 Structural Cross-Section Hennessey Formation and Garber-Wellington Aquifer
- Figure B-13 Structure Map - Top of Upper Pawhuska Sand Injection Interval
- Figure B-14 Structure Map – Top of Lower Pawhuska Sand Injection Interval
- Figure B-15 Net Sand Map - Upper Pawhuska Sand Injection Interval
- Figure B-16 Net Sand Map - Lower Pawhuska Sand Injection Interval
- Figure B-17 Isopach Map - Perforated Interval in WDW-1
- Figure B-18 Reconnaissance of the Water Resources of the Oklahoma City Quadrangle,
Central Oklahoma – Modified from Bingham 1975
- Figure B-19 Cross Section of Shallow Groundwater of the Hennessey Formation.
- Figure B-20 Structure Map – Base of USDW
- Figure B-21 Water Wells in the Vicinity of the Site
- Figure B-22 Maps Showing Principal Ground-water Resources and Recharge Areas in
Oklahoma – Sheet 1 Unconsolidated Alluvium and Terrace Deposits, Johnson 1983
- Figure B-23 Maps of Aquifers and Recharge Areas in Oklahoma, Johnson 1991
- Figure B-24 USGS Seismic Risk Map
- Figure B-25 NEIC Map of Recent Earthquakes in the Vicinity of OG&E WDW-1
- Figure B-26 Earthquake Clusters in the Vicinity of the OG&E McClain Facility
- Figure B-27 Injection Well Location Siting Criteria

TABLES

- Table B - 1 Geological Formations Underlying the Injection Well Site
- Table B - 2 Permeabilities Measured in the UCZ Core
- Table B - 3 TDS from Fluid Sample
- Table B - 4 Chemical Characteristics of Pawhuska Formation Fluid
- Table B - 5 Water Wells
- Table B - 6 Groundwater Sampling Results
- Table B – 7 NEIC Earthquake Seach Results

APPENDICES

Appendix B - 1 Omni Laboratories Routine Core Analysis Results for Injection Well WDW-1

Volume 7

ATTACHMENT C - CONSTRUCTION PROCEDURES

LIST OF FIGURES ii
LIST OF APPENDICES iii
C. CONSTRUCTION PROCEDURES 1
 C.1 INTRODUCTION 1
 C.2 TEST WELL DRILLING AND TESTING 2
 C.3 WELL COMPLETION AND TESTING 2
 C.4 WELL SLEEVING 3
 C.4.1 Well Casing and Tubing Specifications 3
 C.5 WELL CONSTRUCTION ENGINEERING SCHEMATIC 4
LIST OF FIGURES ii
LIST OF APPENDICES iii
C. CONSTRUCTION PROCEDURES 1
 C.1 INTRODUCTION 1
 C.2 TEST WELL DRILLING AND TESTING 2
 C.3 WELL COMPLETION AND TESTING 2
 C.4 WELL SLEEVING 3
 C.4.1 Well Casing and Tubing Specifications 3
 C.5 WELL CONSTRUCTION ENGINEERING SCHEMATIC 4

FIGURES

- Figure C-1 Wellbore Schematic
- Figure C-2 Wellhead Schematic
- Figure C-3 Annulus System Schematic

APPENDICES

Appendix C-1 Injection Well Drilling and Completion Report

Volume 8

Appendix C-1 Injection Well Drilling and Completion Report - continued

Volume 9

Appendix C-1 Injection Well Drilling and Completion Report - continued

Volume 10

Appendix C-1 Injection Well Drilling and Completion Report - continued

Volume 11

ATTACHMENT D - INJECTION OPERATION AND MONITORING PLAN

LIST OF FIGURES ii

LIST OF TABLES iii

LIST OF APPENDICES iv

D. INJECTION OPERATION AND MONITORING PROGRAM 1

 D.1 INJECTION OPERATIONS..... 1

 D.1.1 Maximum Instantaneous Rate of Injection 1

 D.1.2 Average and Maximum Daily Rate and Volume of Injection 1

 D.1.3 Surface Injection Pressure..... 1

 D.1.4 Operation and Injection Procedures 2

 D.1.4.1 Injection Wellhead Monitoring Program..... 3

 D.1.4.2 Injection Well Pressure Tests..... 4

 D.1.4.3 Injection Well Integrity Tests 4

 D.2 AMBIENT MONITORING PROGRAM..... 5

 D.2.1 Monitoring Well Construction 5

 D.2.2 Monitoring Well Completion 6

 D.2.2.1 Monitoring Well Completion Procedure 6

 D.3 WASTE COMPATIBILITY AND CORROSION MONITORING..... 7

 D.3.1 Well Materials Compatibility..... 7

 D.3.1.1 Types of Corrosion 7

D.3.2 Factors Influencing Corrosiveness of Injection Well Environments 8
 D.3.2.1 Corrosion Detection and Measurement..... 9
 D.3.2.2 Corrosion Control..... 10
 D.3.2.3 Corrosion and Injection Fluids.....11
D.3.3 Corrosion Monitoring11
D.4 WASTE CHARACTERISTICS DESCRIPTION..... 12
 D.4.1 Waste Stream pH and Maximum Specific Gravity..... 12
D.5 WASTE ANALYSIS PLAN..... 12
D.6 WASTE COMPATIBILITY WITH FORMATION AND FORMATION FLUID..... 13
REFERENCES 15

FIGURES

Figure D-1 Monitor Well Completion Schematic

TABLES

Table D-1 Waste Stream Quarterly Samples

Table D-2 Waste Analysis Plan

APPENDICES

Appendix D-1 2007 Mechanical Integrity Testing Data

Appendix D-2 2011 Mechanical Integrity Testing Data

Appendix D-3 2011 Flowmeter Data & Weatherford Report

Appendix D-4 2016 Mechanical Integrity Testing Data

Appendix D-5 2021 Mechanical Integrity Testing Data

Appendix D-6 Sampling Well No. 1 Drilling & Completion Procedures

Appendix D-7 Sampling Well No. 1 & No. 2 Drilling and Testing Report

Appendix D-8 Geophysical Wireline Logs – Sampling Well No. 1 & No. 2

Volume 12

ATTACHMENT E - PLUGGING AND ABANDONMENT PLAN

LIST OF FIGURES ii

E. PLUGGING AND ABANDONMENT PLAN 1
E.1 PLUGGING AND ABANDONMENT PROCEDURES FOR THE INJECTION WELL. 2
E.2 PLUGGING AND ABANDONMENT PROCEDURES FOR THE MONITORING
WELL 4
E.3 POST-CLOSURE PLAN 5

FIGURES

- Figure E-1 Schematic - Well Plugging Plan
Figure E-2 Schematic – Monitor Well Plugging Plan

ATTACHMENT F - FINANCIAL ASSURANCE

F.1 FINANCIAL ASSURANCE..... 1
F.1.1 Estimated Plugging Cost..... 1
F.1.2 Financial Assurance..... 2

**ATTACHMENT G - SITE SECURITY AND MANIFEST REQUIREMENTS
(COMMERCIAL WELLS ONLY)**

ATTACHMENT I – EXISTING ODEQ/EPA PERMITS

ATTACHMENT J – DESCRIPTION OF BUSINESS

**ATTACHMENT K – OPTIONAL ADDITIONAL PROJECT INFORMATION (40 CFR §
144.4)**

ATTACHMENT H - AQUIFER EXEMPTIONS