

Oklahoma Department of Environmental Quality


LEAD TESTING

In Schools & Child Care Facilities Drinking Water Program

PROGRAM REPORT

-- This report will be updated quarterly with new program totals --

Approximate Location of City of Participating Facilities.



Cities or towns with multiple participants are shown once.

For more information about the program, please visit our LWSC program website:

[LWSC Program Website](#)

PROGRAM PARTICIPANTS:

- Public Schools- 46
- Childcare, Daycare- 2
- Other Youth Facilities- 1
- Private Schools or Childcare- 0

49

TOTAL PARTICIPANTS

NOTABLES:

- SUCCESS!** Timberlake Public Schools signed up to participate in the program. Erick Elementary re-sampled after remediation and had no lead detections.



OKLAHOMA
Environmental
Quality

Participation Population

Students and Staff in participating facilities:


23,631

Students and Staff in facilities who have remediated/reduced lead in their facility:

5,214



Program Status



- Completed Schools, Childcares
- Remediation (Post Sample Analysis) Stage
- Application & Sampling Plan Stage

Site Cleanup Assistance Program

Program provided by DEQ Land Protection Division to provide funding for remediation. i.e. faucet replacement, added approved filters, water cooler replacement, etc.

Requests for SCAP Funding: 7

\$38,452

**SCAP FUNDING
REQUESTED
TO DATE**

129 HOURS

**Hours spent on-site at
participating facilities
providing technical or
sampling assistance.**

2,384

**SAMPLES
COLLECTED
TO DATE**

Facility Remediations

When lead is detected in any amount, the facility takes action to reduce the lead delivered in potable sources by any one or combination of the following.




- Replaced faucet/fixture- **66**
- Replaced water cooler- **19**
- Added approved filter- **3**
- Plumbing repairs- **0**
- Restricted use or Removed from service- **17**
- Flushing protocols, routine- **4**
- Enhanced maintenance- **0**

PLEASE STAND BY

The State Environmental Laboratory had to suspend collection events due to analytical capacity and staffing issues for September. Sampling and analysis resumed in October after additional staff were hired and trained.

Sample Result Summary To Date



IN THE NEWS

Check out our new Interpretation of Lead Testing Results guidance document on our website here:

https://www.deq.ok.gov/wp-content/uploads/state-environmental-laboratory-services/Lead_Testing_Results_Interpretation_081122-.pdf

COMING SOON!

Lead Testing in Schools Student Volunteer Program. The goal of the volunteer program is to provide a wealth of knowledge about drinking water in our state, to offer an inside look at the program protecting students and staff in our state from lead in their learning and care facilities, and give the student participant valuable information about the environmental industry for future internship and job opportunities. More information to come.

Check our program website for updates!

Services that DEQ provides to applicants to support the Lead Testing in Schools and Child Care Program:

- Application Assistance
- Inventory and Forms Assistance
- Sampling Plan and Sampling Assistance
- Sample Analysis
- Result Notifications and Technical Assistance
- Remediation Assistance
- Resampling Assistance
- Informational Program Publications and Training
- Website with program information, training materials, and all posted results from sampling events



Facility Postings

Public Schools - **26**

Childcare Facilities - **2**

Other Youth Facilities - **1**

Private School/Childcare - **0**

Recently Completed Facilities

**ERICK ELEMENTARY
HAYES ELEMENTARY (ENID)**